OREGON ELECTRIC RAILWAY COMPANY

TIME TABLE No. 20

TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M. PACIFIC TIME

SUNDAY, AUGUST 22, 1915

SUPERSEDING TIME TABLE NO. 19 AND ALL SUPPLEMENTS THERETO
THIS TIME TABLE IS FOR THE USE OF EMPLOYES ONLY

2	Westbour	nd							FIRST	DISTR	ICT—I	PORTLA	IND T	O SALI	EM												
Second C	lass										FIRST	CLASS												Car Ca	apacity	п -	Time Table No. 20
15	71	21	4	7 19	43	17	15	41	59	13	57	39	9	63	37-	*55	7	35	53	5	33	81	1	racks	cks	ance fr	August 22, 1915
F	reight	The Owl	L	ocal Local	Local	Local	Local	Local	Local	Limited	Local	Local	Local	Local	Local	Local	Local	Local	Local	Limited	Local	Local	Local	T gui	r Tra	Dist	
	Daily x. Sun.	Daily	D	aily Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daliy	Daily	Daily Ex. Sun.	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Passi	Other		STATIONS
		L11.45P	M L11	.15PM L 9.44	PM L 6.15	5PM L 6.00PM	L 5.35PM	L 5.25M	L 5.00P	L 4.40P	L 3.35P	L 3.30M	L 2.10PM		L 1.05PM	L 12.50P	10.40	110.25A	M L10.15A	L 8.25AM	L 8.15M	L 6.50A	L 6.45AM		Yard	00.0	DN HOYT ST. STATION
							5.40	5.28												8.28		6.53	6.50		DbTk	0.35	0.35
							0.11	5.35		4.49							10.52			8.34	8.23			No.	DbTk	0.6	PARK PLACE
L	8.35PM	s12.05A	M s11	.30 s 9.35	s 6.30	s 6.15	s 5.50		s 5.15	-	s 3.50	s 3.45	s 2.30		1.20	s 1.05		s10.40	s10.30	s 8.40	s 8.30	s 7.05	s 7.00		Yard	1.3	JEFFERSON ST. STA
									0.10		5 0.00															1.5	HARRISON ST
	8.39	12.06	11	.31 9.36	6.3	6.16	5.51	5.41	5.16	4.56	3.51	3.46	2.31		1.21	1.06	11.01	10.41	10.31	8.41	8.31	7.06	7.01			1.7	SHERMAN ST
	8.50	f12.11	f11	.37 t 9.42			f 5.57	5.44	f 5.22	5.00	t 3.57	f 3.50	2.35			f 1.10	11.05	10.44	f10.36	8.46	1 8.36		f 7.05			3.0	CORBETT ST
	9.02	12.13	f11	.40 f 9.46	1 6.3	f 6.26	f 6.01	5.47	1 5.26	5.02	1 4.01	3.52	2.38		1.27	f 1.13	11.08	10.46	f10.39	8.49	f 8.39	f 7.14	f 7.07			4.1	VIEW POINT
	9.13	12.17	f11	.44 f 9.50	s 6.3	1 6.30	f 6.05	5.49	f 5.30	5.04	1 4.05	3.54	2.40	The same	1.29	f 1.16	11.12	10.48	f10.42	8.52	f 8.42	t 7.17	f 7.09			5.2	CAPITOL HILL
	9.21	f12.20	s11	.48 8 9.53	8 8 6.4	8 6.34	s 6.09	5.51	s 5.34	5.06	s 4.08	3.56	2.43		1.31	s 1.20	11.15	10.51	s10.45	8.55	f 8.45	f 7.20	f 7.11	12	3	6.3	MULTNOMAH.MU
	9.35	s12.25	A11	.55PM 810.00	A 6.4	5PM s 6.40	s 6.15	A 5.55P	s 5.40	5.10	s 4.15	A 4.00P	s 2.48	1	A 1.35PM	s 1.25	s11.20	A1 0.55A	M A 10.50A	9.00	A 8.50 M	A 7.25A	9 7.15		YS7	8.2	GARDEN HOME.GH
	9.40	f12.29		f10.03	3	1 6.44	f 6.18		1 5.44		1 4.19		f 2.53			f 1.28	f11.25			9.03			f 7.19		S8		METZGER
	•												11/1/8														S. P. R. R. CROSSIN
	9.44	f12.32		f10.07	7	s 6.47	s 6.22		s 5.47	5.16	s 4.22		s 2.56			s 1.32	s11.29			9.06			s 7.23	26	9	11.7	0.76
	9.48	12.36		10.11		6.51	6.26		5.51	5.20	4.26		3.02			1.35	11.33			9.09			7.28	14		13.6	NILES
	9.53	f12.40		810.1€	3	f 6.56	A 6.30PM		A 5.55P	s 5.23	A 4.30P	M	s 3.10			A 1.40P	s11.38			s 9.12			s 7.33	8	13	15.6	TUALATIN
	9.57	f12.43		f10.18	3	f 7.00				f 5.26			f 3.13				f11.42			9.14			f 7.36		S13	17.1	NASOMA
1	0.02	f12.47		f10.22	3	f 7.03	n A	un'n	Inte	1 5.29	CARY	21/1/2	f 3.17	TALL	TA	77.03	f11.46	231/	T O	9.17			1 7.41	23	87	18.6	TONQUIN
1	0.04	f12.49		f10.25	5	f 7.06	1 100	-		f 5.32	AND BUT		f 3.19				f11.49			9.19			1 7.44		88	19.9	MULLOY
1	0.10	f12.55		f10.30		s 7.10	Mile II			f 5.37		-11 1/11	s 3.25	WAY I			s11.55			9.23			s 7.50	27	Y8	22.5	WILSONVILLE
1	0.16	1.00	1	10.36	3	7.15				5.42			3.31				12.01	м		9.27			7.56	26		24.9	
1	0.23	f 1.07		f10.42	3	f 7.22				f 5.51			f 3.38				812.10			9.33			f 8.03	22	26	28.7	3.78 — DONALD 2.75 —
1	0.28	f 1.12		f10.47	7	f 7.27				f 5.57			f 3.44				f12.15			9.37			f 8.10	20	3	31.4	BROADACRES
1	0.34	f 1.17		f10.52	3	s 7.31				s 6.02			s 3.49	L 2.50PM			s12.20			s 9.42 v			s 8.16	39	Y3	34.1	WEST WOODBURN
1	0.40	f 1.23		f10.57	7	f 7.36				f 6.08				1 2.56	Fa-E		f12.26			9.46			1 8.22	13	10		2.85 - ST. LOUIS
1	0.44	f 1.28		f11.01	L	f 7.40				1 6.13	74-		f 3.59	f 3.00			f12.29			9.49			f 8.27	17	3	39.1	CONCOMLY
1	0.48	f 1.32		f11.04	1	f 7.43		76.7	1996	f 6.17	-		f 4.03	1 3.03	AR		f12.33	0		9.52	100	1000	f 8.30	12			1.78
1	0.51	f 1.35		f11.07	7	f 7.46	- 9			f 6.20		3 1		f 3.06			f12.36			9.55			f 8.34	14	6	42.5	HOPMERE
1	0.53	f 1.38		f11.08	•	f 7.49	10.00	-75		f 6.22	(C.	-09 Q	f 4.13	1 3.09	7 18	Total Control	f12.38			9.58			t 8.37		S11		QUINABY
1	0.58	s 1.42		s11.13	3	s 7.52	. 9			f 6.27				s 3.13			s12.43			10.01			s 8.42	15	2	46.0	CHEMAWA
1	1.05	f 1.48		f11.18	3	f 8.02				f 6.33			f 4.25	1 3.18			f12.49			10.05			f 8.48	25	8	48.9	DEAF SCHOOL
A 1	1.15PM	A 1.55A	AM	A11.25	5PM	A 8.10P	u			A 6.40P			A 4.33P	A 3.25PM	1		A12.55P	M		A10.11A			A 8.55A		Yard	50.8	SALEM
	71	21	4	17 19	43	17	15	41	59	13	57	39	9	63	37	55	7	35	53	5	33	31	1				50.82
E	Daily Ex. Sun.	- Daily	D	paily Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily Ex. Sun.	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily				
	2.40 19.0	1.50 25.4	0	1.50 6 27.7	0.15 27.6	1.55 25.8	0.40 23.4	0.15 27.6	0.40 23.4	1.45 28.6	0.40 20.5	0.15 27.6	2.03 24.1	0.35 28.6	0.15 27.6	0.35 19.1	1.55 25.8	0.15 27.6	0.20	1.30	0.20 20.7	0.20 20.7	1.55 24.5				Time Over District Average Speed per Hour

SPECIAL RULES.

EAST BOUND TRAINS ARE SUPERIOR TO WEST BOUND TRAINS OF THE SAME CLASS. EXCEPTION: No. 55, 57 AND No. 59 ARE SUPERIOR TO No. 56, 58 AND No. 60, GARDEN HOME TO TUALATIN.

Tracks on Salmon St. from Front to West Park Sts., Portland, and on Tenth from Salmon to Flanders Sts., Portland, will be used as double track. (See Rule D 151.) Where meeting points are shown at Park Place and Stark St., meeting point will be on double track and not directly at station shown. In column "car capacity" prefix letter S indicates spur.

Double track extends from Jefferson St. to Harrison St., and from Sherman St. to Garden Home.

Gauntlet track between Harrison St. will be operated as single track.

Breaker between 600 and 1200 volt trolley current located at intersection Hood and Pennoyer Sts., Portland. Westbound trains must stop before passing same and throw commutating switch to 1200 volt position. Eastbound trains will stop after passing breaker and throw commutating switch to 600 volt position.

No. 5 and 13 will stop on flag at Garden Home to pick up passengers from Fourth District for schedule stops west of Garden Home.

A. J. DAVIDSON, Superintendent

Banga												FIRS	T DIS	TRICT	SALE	M TO	PORT	LAND							Eastbound	d 3
Time Table No. 20		suc				8 110	T CLAS	2317				714	03.5	FI	RST CL	ASS					Ball	TELLI			100.450	Second Clas
August 22, 1915	0	aph and ne Statio	2	4	30	32	6	34	36	10	54	12	38	56	14	64	40	58	16	42	60	20	44	22	17	72
	Euge	NO 0	The Owl	Local	Local	Local	Local	Local	Local	Limited	Local	Local	Local	Local	Local	Local	Local	Local	Limited	Local	Local	Local	Local	Local		Freight
STATIONS	Die	Telep	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily Ex. Sun.	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	212	Daily Ex. Mon.
PORTLANDDI	122 4	DNI	8 55M	A 7.30M	A 7.40AN	A 8.30N	M A 8.45M	MA 9.35M	A1 1 .OOA	A11.35M	A12.05P	A 1.45PM	A 1.50M	A 3.00F	MA 4.10PM		A 5.00P	M A 5.30PM	A 5.50PM	A 6.50PM	A 7.05P	A 8.00PM	A 9.20P	A10.00PM	- 10.11td	
0.35 —STARK ST		_	6.53 31 6.50 1			8.28	-	0.00				1					- 100	5.28		63.7						
PARK PLACE	-		6.501		-	8.23	-		10.52		1						4.49	0.20	5.35							
JEFFERSON ST. STA. J		DNJ s	6.35	s 7.10	s 7.25	s 8.15	8 8.30	8 9.20		s11.15	s11.50	s 1.25	s 1.30	s 2.40	s 3.50		s 4.45	s 5.15	8 5.30	8 6.35	s 6.50	s 7.40	s 9.05	s 9.45		A 4.45AM
HARRISON ST			6.33	7.09	7.23	8.13	8.28			11.13		1.24	1.28	2.38	3.49		4.43		5.28	6.33	6.48	7.39	9.03	9.43	55.64	4.43
SHERMAN ST	120.7	-	6.32	7.08	7.22	8.12	8.27	9.17	10.43	11.12	100 000	1.23	1.27	2.37	39		4.42	5.12	5.27	6.32	6.47	7.38	9.02	9.42	08.00	4.42
CORBETT ST	120.0	f	6.27	1 7.03		f 8.07	8.23		f10.39			f 1.17	f 1.23	1 2.33			f 4.38	t 5.08	5.23		f 6.43	f 7.33	f 8.57	1 9.37	27.65.65.75	4.30
1.10 — S	118.9	f	6.23	f 6.58	f 7.13	f 8.03	8.17	_	10.37		f11.40			1 2.30	f 3.40		4.35	f 5.05	5.20	6.25	f 6.41	f 7.27	f 8.53	f 9.32	20.01	4.19
CAPITOL HILL	117.1	f	6.20	1 6.54		1 7.58	8.13	1000	10.33	2465 15	f11.37	-	1.17	1 2.27	t 3.37		4.32	f 5.02	5.17	6.22	f 6.37	f 7.23	f 8.49	f 9.28	91-1	4.10
MULTNOMAH.MU		NJ s	6.16			s 7.55	8.10	f 9.04	10.30	10.59	811.34	s 1.05	1.14	s 2.24	8 3.34		4.29	s 4.59	5.14	6.19	s 6.34	s 7.20	s 8.45	s 9.24	00.0	4.00
GARDEN HOME SH	114.2	DJ s	6.10	s 6.45	L 7.00M	L 7.50A	8 8.05	T. 9 5004	110.25M			s 1.0Q.	L 1.10P	s 2.20	s 3.30#		L 4.25	s 4.55	s 5.10	L 6.15PM	s 6.30	s 7.15	L 8.40P	8 9.20		3.45
1.82	112.4	P f	6.05	1 6.40			f 8.01	2 3.00		10.51		f12.56		Marian State of the Control of the C	f 3.25			f 4.51	5.06	0.10		f 7.10		f 9.16	0.0	3.39
S. P. R. R. CROSSING.	-																								- A M	1
0.76	-	DJ s	6.02	s 6.35			8 7.58			f10.48		s12.52		f 2.13	s 3.21			s 4.47	5.04		s 6.22	s 7.07		s 9.12	AP-Y	3.34
1.90 —			5.57	6.30	-		7.54			10.45		12.47		2.09	3.16			4.44	5.01		6.16	7.02		9.08	1000	3.28
TUALATIN	-	_		L 6.25AN			s 7.50			s10.42		s12.42		L 2.05	8 3.10			L 4.40PM	s 4.57		L 6.12P	s 6.56		8 9.04	S. I.	3.22
1.42 —		_	5.48				f 7.45			10.39		112.38			t 3.07				4.54			f 6.53		f 9.01		3.18
1.55	-						f 7.41			10.37		f12.34			f 3.02				4.52			f 6.49		f 8.58	Page 10	3.13
1.24	_	_					f 7.38			10.35		f12.31			f 2.59				4.50			f 6.46		f 8.55		.3.09
WILSONVILLEV	-	-	5.35				f 7.33			10.31		s12.25			s 2.52		Pat		4.45			s 6.40		8 8.50	Towns .	3.00
CURTIS		_	5.30				1 7.27		1	10.26		12.18			2.47			E 27 T 1	4.40			6.34		8.45	1000	2.52
3.78	-	_	5.22				s 7.20			10.21		s12.10	/		f 2.39			0000	4.35			f 6.27		f 8.39	The state of the s	2.39
BROADACRES		_	5.17				f 7.14			10.17	Laz	f12.03PM		16	t 2.33			01 -	4.31			f 6.21		f 8.34		2.30
WEST WOODBURN .RN	-		5.12				s 7.09			s10.13-		s11.58			s 2.28	A 4.17PM			s 4.27			s 6.14		s 8.29	long B a	2.22
2.85 —ST. LOUIS		_					f 7.03			10.08		f11.52			f 2.22	f 4.11			4.23			f 6.08 v		f 8.24		2.12
2.13 CONCOMLY		_					f 6.58	11-03	17 04	10.05	11.9	f11.48		I III	f 2.18	f 4.07			4.20			f 6.04		f 8.20		2.05
1.78 —		_					1 6.54	There	17567	10.02	[dist]	f11.44		100	f 2.14	1 4.03		1997	4.17	1.79	1995	f 6.01		f 8.17		1.58
1.65 —	-	_					f 6.51	1 14	11.16	10.00	THE PAR	f11.41	10 19	Me -		f 4.00			4.15			f 5.57		f 8.14		1.54
1.25 QUINABY	-	_	4.52				f 6.48		7717	9.58		f11.38	1111	CHEVIA.	f 2.08	f 3.58			4.13			f 5.54		f 8.12		1.50
2.24 —							s 6.43		danin's	9.54	11 10 1	s11.33	THUMB	BEST ST	8 2.03	s 3.53	OLA BI	11.11.11	4.09			s 5.49		f 8.08		1.42
DEAF SCHOOL		_					t 6.37		-	9.50		111.27			f 1.57	f 3.47			4.06			f 5.43		s 8.02		1.30
1.88		-					L 6.30A	M		L 9.45A	RYAL	L11.20A	RAY		L 1.50P	L 3.40PM	and an	I LHZ	L 4.00PM			L 5.37PM		L 7.55PM	BILL 0. 1881	L 1.20AM
50.82			2	4	30	32	6	84	36	10	54	12	38	56	14	64	40	58	16	42	60	20	44	22		72
			Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily Ex. Sun.	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily		Daily Ex. Mon.
Time Over District Average Speed per Hour			2.00 24.7	0.45 20.8	0.25 19.6	0.25 19.6	2 00 24 0	0 20 20 7	0.20	1.30 33.8	0.20 20.7	2.05 24.3	0.20 20.7	0.35 24 5	2.00 25.4	0 37 27.1	0.20 20.7	0.35 24.5	1.30	0.20 20.7	0.38 22.6	2.03 25.0	0.25 19.6	1.50 27.7	THE STATE OF THE S	3.25 14.5

SPECIAL RULES.

EAST BOUND TRAINS ARE SUPERIOR TO WEST BOUND TRAINS OF THE SAME CLASS. EXCEPTION: No. 55, 57 AND No. 59 ARE SUPERIOR TO No. 56, 58 AND No. 60, GARDEN HOME TO TUALATIN.

Tracks on Salmon St. from Front to West Park Sts., Portland, and on Tenth from Salmon to Flanders Sts., Portland, will be used as double track. (See Rule D 151.) Where meeting points are shown at Park Place and Stark St., meeting point will be on double track. and not directly at station shown.

Double track extends from Jefferson St. to Harrison St., and from Sherman St. to Garden Home.

Gauntlet track between Harrison St. and Sherman St. will be operated as single track.

Breaker between 600 and 1200 volt trolley current located at intersection Hood and Pennoyer Sts., Portland. Westbound trains must stop before passing same and throw commutating switch to 1200 volt position.

Eastbound trains will stop after passing breaker and throw commutating switch to 1200 volt position.

throw commutating switch to 600 volt position.

No. 14 will stop at any station between Garden Home and Jefferson St. for the purpose of discharging passengers from points west of Garden Home.

No. 36 will stop on flag, Garden Home to Corbett St., inclusive, Sunday only.

	Westbound	SECO	ND I	DISTRI	T BETWEEN SALEM A	ANI	D EUGE	NE				Eastbound
S	ECOND CLASS	FIRST CLASS	Car Cap	pacity	Time Table No. 20	ons				FIF	RST CLASS	SECOND CLASS
	71	13 9 7 5 21	acks	cks ce fron		ph an	2 The Owl	10	16	20	22	72
	Freight	Limited Local Local Limited The Owl	T Se	Tra istan	Eu	phor	The Owl	Limited	Limited	Local	Local	Freight
	Daily Ex. Mon.	Daily Daily Daily Daily Daily	Passir	Other	STATIONS A	Tele	Daily	Daily	Daily	Daily	Daily	Daily Ex. Sun.
T	L12.01 AM	L 6.45PM L 4.35PM L 1.00PM L10.15AM L 2.00AM		Yard 50.8	SALEMSA 71.6 I	DNJ	A 3.10M A	9.45AM	4.00PM	A 5.37M	4 7.55M	A11.00PM
	12.05	6.47 4.37 1.03 10.18 2.02	35	51.8	MELAS 70.6	P	3.00	9.40	3.50	5.30	7.45	10.55
	12.15	f 6.52 f 4.43 f 1.12 f10.24 f 2.09	37		LIVESLEY 67.3	_		9.34	3.44	1 5.23	f 7.38	10.44
	12.23	s 6.57 s 4.51 s 1.22 s10.30 f 2.18	25	40 58.7	EAST INDEPENDENCE 63.7	P	1 2.44 s	9.28	3.39	s 5.16	f 7.31	10.32
	12.26	f 6.59 f 4.53 f 1.24 f10.32 f 2.20	30	5 59.6	ORVILLEOV 62.8	DJ	1 2.42 1	9.26	3.37	f 5.14	1 7.29	10.29
	12.37	1 7.07 , 5.05 f 1.34 f10.39 f 2.31			SIDNEY							10.14
	12.42	t 7.15 t 5.11 t 1.41 t10.43 t 2.38	37	67.4	TALBOT 55.0	P	1 2.24 1	9.13	3.24	1 4.59	1 7.15	10.04
	12.49	f 7.20 f 5.17 f 1.47 f10.48 f 2.47	37	10 70.5	3.10	P	f 2.17 f	9.08	3.19	1 4.54	f 7.08	9.54
	12.55	f 7.25 f 5.23 f 1.52 f10.53 f 2.55	37	7 73.2	2.64 CONSER	P	f 2.11 f	9.05	3.15	1 4.50	f 7.02	9.45
	1:102	s 7.35 s 5.35 s 2.05 s11.05 s 3.15		Yard 77.7	4.53 ALBANYA 44.7	DJ	s 2 ⁷¹ s	8.55	3.05	s 4.40/	1 6.50	9.30
	2.09	7.42 f 5.43 f 2.13 f11.13 f 6.08	39	27 81.3	3.58 PIRTLE PR 41.1	NJ	1 1.45	8.44	2.54	1 4.29	1 6.23	8.24
-	2.15	s 7.44 s 5.47 A 2.17M s11.17 f 6.13	38	Y 6 83.2	1.93	DJ	f 1.42 s	8.41	2.50	L 4.25P	s 6.20	8.15
	2.28	7.51 f 5.56 f11.23 f 6.22	37	87.2	VERDURE 35.2	P	f 1.31	8.34	2.43		f 6.12	8.05
	2.40	7.57 t 6.05 f11.28 t 6.30	37		3.56 31.7						f 6.05	7.57
	2.50	8.01 t 6.10 t11.32 t 6.37		8 5 93.4			f 1.16	8.23	2.34		f 6.01	7.45
	2.57	8.05 f 6.14 f11.36 f 6.42	38	8 95.7	2.31	P	f 1.10 f	8.20	2.31		t 5.57	7.39
	3.07	8.09 f 6.19 f11.40 f 6.49			NIXON 23.6			8.15			t 5.52	7.32
	3.15	8.13 f 6.23 f11.43 f 6.54	37*		CARTNEYC 21.4	_		8.12	2.24		1 5.48	7.27
	3.25	s 8.18 s 6.28 s11.50 s 7.01						8.07	2.19		s 5.45	7.19
	3.40	s 8.24 s 6.36 s11.57 s 7.11			JUNCTION CITYJC 14.1						s 5.37	7.09
	3.50	8.29 f 6.41 f12.03PM f 7.19	38		3.13 — 10.9 — 10.9	_		7.55			1 5.32	7.02
	3.55	8.32 f 6.44 f12.06 f 7.23		8 6 113.1	MEADOW VIEW 9.3		f12.29	7.53			f 5.28	6.56
	4.05	8.37 t 6.50 f12.11 t 7.28	38	9 115.7	2.60	P	f12.22	7.48	2.03		f 5.23	6.50
	4.20	8.44 f 6.58 f12.18 f 7.40	48	5 120.6	LASENRS 1.8	J	f12.12	7.40	1.56		f 5.16	6.32
	A 4.30AM	A 8.50PM A 7.05PM A 12.25PM A 7.50AM		Yard 122.4	EUGENEGN 0.0 I	DNJ	L12.05AM				L 5.10PM	L 6.25M
	71	13 9 7 5 21			71.58		2	10	16	20	22	72
	Daily Ex. Mon.	Daily Daily Daily Daily Daily					Daily	Daily	Daily	Daily	Daily	Daily Ex. Sun.
	4.29 16.0	2.05 2.30 1.17 2.10 3.05 34.1 28.6 24.7 33.0 23.2		-	Time Over District Average Speed Per Hour			2.10	2.10	1.22	2.45 26.0	4.56 14.6

SPECIAL RULES.

EAST BOUND TRAINS ARE SUPERIOR TO WEST BOUND TRAINS OF THE SAME CLASS.

All trains will stop for Willamette & Pacific R. R. crossing 1200 feet west of Lasen. Passing track at Lasen is west of Willamette & Pacific R. R. crossing.

	Westbound							THI	RD DI	ISTRIC	BETWEEN GRAY	AND	CORVA	LLIS			-		The state of the s	Eastbound
ST.		FIRST	CLASS	3	90	100	11	na l	Car Ca	apacity	Time Table No.20	d di	160	101	100	la la	. 8	FIR	ST CLASS	
3.34		211	209	207	205	7	203	201	racks	cks ce fron	August 22, 1915	vallis sph an	200	202	204	20	206	208	210	
	-	Local	Local	Local	Local	Local	Local	Local	T Su	r Tra		Distan Cor Telegra slephon	Local	Local	Local	Local	Local	Local	Local	
*		Daily	Daily	Daily	Daily	Daily	Daily	Daily	Passi	Othe	STATIONS	Tele	Daily	Daily	Daily	Daily	Daily	Daily	Daily	
	14 1 LOS (NO. 5 LO	L 7.45	PM L 6.21P	L 5.49PM	L 2.51PM	L 2.17M	L11.18AN	L 8.42AM	38	Y 6 83	2 GRAY GR	4.99 DJ	A 8.41A	A11.17AM	A 2.48PM	A 4.25PM	A 5.46PM	A 6.2 OPM	A 7.43P	charles III
They dillo		▲ 8.00	M A 6.36P	A 6.02PM	A 3.06PA	A 2.32PM	A11.33AN	A 8.57M	95 408	Yard 88.19	4.00	0.0 DJP	L 8.26	111.02M	L 2.32PM	L 4.10PM	L 5.31PM	L 6.05PM	L 7.28 ^{PM}	number of the Common
		211	209	207	205	7	203	201					200	202	204	20	206	208	210	No designation
The Principal	PORT A LABOR TO	Daily	Daily	Daily	Daily	Daily	Daily	Daily			State State (6) (State)		Daily	Daily	Daily	Daily	Daily	Daily	Daily	THE WALLS

SPECIAL RULES.

EAST BOUND TRAINS ARE SUPERIOR TO WEST BOUND TRAINS OF THE SAME CLASS. EXCEPTION: No. 207 IS SUPERIOR TO No. 208.

	Westbound				113			FOUL	RTH DIS	STRI	CT E	BET	WEEN GARDEN H	OME A	AND FO	REST	GROVE	1						J	Eastboun	d	
		110	FIRS	T CLAS	SS		H		real -	Car Ca	pacity		Time Table No. 20		E C					FII	RST CL	ASS					
	- 81 144	47	43	41	39	37	35	33	31	acks	cks	e from	August 22, 1915	Grove ph and	,30	32	34	86	38	40	42	44					
_		Local	Local	Local	Local	Local	Local	Local	Local	g Tr	Th	Portl		stanc orest legra	Local	Loca	l Local		Local	Local	Local	Local					-
-		Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	assin	Othe	Di	STATIONS	Pols Tele	Daily	Dail			Daily	Daily	Daily	Daily					-
	and the columns of								L 7.25M	Y	S7	8.2	GARDEN HOME GH	19.2 I	J A 7.00	AM A 7.5	O.M A 9.00	AM A 10.25	AM A 1.10P	MA 4.25P	MA 6.15P	A 8.40PM	mint I	or beautiful		1	+
-		f11.57							1 7.28	6		9.6	WHITFORD		_								1	alust .	4 1 1 1 1 1	1	-
							811.02			6	2	_	1.75 —BEAVERTONB											no Charles			-
		f12.06								NO.	_	_			_							-		Lanst.	J. A971		_
							f11.08					14.2	1.10 —		_								- defects	e How			-
	-	f12.09									83	14.7	0.47 ELMONICA	12.7 P	1 6.46	1 7.3	3 f 8.4	f10.12	f12.57	1 4 13	f 6.02	f 8.25	HINNE I	CHIEF			-
_		f12.12								E CER	S2	16.3	1.66	11.0 P	f 6.42	1 7.2	9 f 8.39	f10.08	f12.53	1 4.09	f 5.57		Edit medi	SE DA	4 30%		
	- A27(F) - 14 - 14						s11.15			Y	S15	17.5	1.16										el auti	der ni	2 3018		
	A SECURIT OF SA						f11.20				87	19.6	2.10 — — — — — — — — — — — — — — — — — — —	7.8 P	f 6.36	1 7.2	2 f 8.3	f10.02	f12.46	f 4.02	f 5.48	f 8.14	MILE PLEN	in depart			
-	Tarakera wile s						s11.25			8													o Illur	ar ZuxT	A		
							f11.28			1 20 1	_	22.8	1.57		_							f 8.05	IR wal	Gerfsont			
	A	s12.33	s 7.20	s 6.33	s 4.34	8 2.13	s11.33	s 9.27	s 8.01	7	6	24.7	CORNELIUS		_	_							aufort.	Brenork			
	feta?[ptoTe]	A12.40AM	A 7.25PM	A 6.40PM	A 4.40PM	A 2.20P	A11.40M	A 9.32M	A 8.07AM	eY for	Yard	27.4	FOREST GROVEFO	0.0 I	J L 6.20	AM L 7.0	5AM L 8.1	5AM L 9.45	AM L12.30F	M L 3.45P	L 5.30P	1 7.55P	Dan Sc	er noor			
		47	43	41	39	37	35	83	31	asli As	No. 1202	6	19.17	100	30	32	34	36	38	40	42	44	T been	nt Juneal	7 .000		
	Tonth In 1	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	THE	100				Daily	Dail	y Daily	Daily	Daily	Daily	Daily	Daily	tol Bu	BLPso'l			
		0.45 25.6	0.40 28.8	0.45 25.6	0.40 28.8	0.45 25.6	0.45 25.6	0.42 27.4	0.42 27.4				Time Over District Average Speed Per Hour		0.40 28.8	0.45 25.6	0.45 25.6	0.40 28.8	0.40 28.8	0.40 28.8	0.45 25.6	0.45 25.6	I de mod	DOMESTIC .			
	The second second		perior to	No. 34,	Orenco to		Frove.	No. 33	s superior	to No.	36, Or	enco t	SPECIAL RULES O WEST BOUND TRA to Forest Grove. No. EN ORENCO AND	43 is sup	erior to N	o. 44, Or	enco to Fo			42 takes	siding fo	r No. 41	at St. M	77777	Eastbour	ad.	
	Westbound	W. R. Oil	Tall St.	no la Reliente.	lo, who	Letier	no viola	LILIL	I DISTI	101	DEI	W E	EN URENCO AND	DO W	ELD JU	MOTIC	/14	T INCIDE		Lawrence of		and of	TO COME	100 m	Hastour		_
	and of bloom	him home	FIRS	T CLAS	S	enlos o				Car Ca	pacity	HOU.	Time Table No. 20	rom etion and	ation					FI	RST CL	ASS	de vel e	of Man		,	1
	that primit	of and the	ai alo	(T. 10)R	at history		plant bu	Faith ison	change as	80 S	racks	neo f	August 22, 1915	Jun Jun aph	e St	1100	fleenth .	00000	(Bent	de Jan B	we Sugar	d oid bear	Tree C	Dept.	.00 APE		
	. 4.7	far a	a Barrie	117-2		de alla	In comme			raci	er T	Distan		Distar Sowers Telegr	loudi					ook are	Logical By	a Lasterina	en Jeg	Lat II			
						182		off		H.C.	Oth	А	STATIONS	I BI	Tele								1	to or it			
			Ju Black							Y	815		ORENCOCO	5.2 D	J	Wheel or	Lange Lan					100	P	2400	17		
							100		110	26		1.4	MERLE	3.8	1 1000	man contract	- Distriction	and the same of	Mr. Warer	North Specifical	The state of the	Hay be the	THE PROPERTY	ALL DOOR OF	1000		

- Arto	falson.	را سۆسىد		FIRST	CLAS	SS	anion				1107	Car Ca	pacity	rom	Time Table No. 20	ction and								FI	RST C	LASS	a picke w	can Ma	in .	
dist	diami	otuni	1664-0	alg i	7. 10A	er ferm	britis	i lenient	barreel	113	THE T	ing	Tracks	Orence for	August 22, 1915	Distance fundamers June Bowers June Telegraph			later free	10.1	-0.6	algel P	7 15	- June 16	v=5.19	od od J	or m	o Clar	7 0	May
	n. aff.	A R	Tol	Berl.	the said		138	S the			Jul to	Pass	Other	Dist	STATIONS	Dist Bower				-					-				10	
			1111111						THE REAL PROPERTY.			Y	S15		ORENCOCO	5.2 D	de lan		A Company				Und in			1./.		a alte	D 1	Call Call
									7		110	26	TH	1.4	MERLE	3.8	100		M = 0	ra in s		A Sec.	OF BEE	off and	and of	g Ty	CHIE	make the	19	
							12	Labor	Land Hall					5.2	BOWERS JUNCTION	Herry H	10		ri ga lag	1947	PAR	way A tage	P (2) (3)	n/lg ix	Tayl str	di adi	To Vygo	200 1	41	
Westbo	ound	Tel:	oni dia	bas's	referring.	mbou n	r Peny	manufit Manufit	SI	XTH I	DISTE	ICT	BET	WE	EN WEST WOODB	URN A	AND	woo	DBUR	1				The Tell	ench syst	and i	a paral lambet	Jack to	Eas	stbound
dont	throte	in mha	v mais	FIRST	CLASS	3	n Albert	anotom'	1000	iliyer Je	tall and	Car Ca	pacity	- 6	Time Table No. 20	a 70	suo	edia o	797 11/10	RYA	11 11		a Mich	FIRS	T CLA	SS	uer slot	177 7	7 4	200
123	121	119	117	115	113	111	109	107	105	103	101	818	acks	ance fron Woodbur	August 22, 1915	dburn aph an	10	0 1	102 10	4	106	108	110	112	114	116	118	120	122	124
Local	Local	Local	Local	Local	Local	Local	Local	Local	Local	Local	Local	assir	er Tı	Distar West W		Distan Woo Telegr	Lo	al I	Local Lo	al	Local	Local	Local	Local	Local	Local	Local	Local	Local	Local
Daily	Daily	Daily	Daily	SUNDAY	Daily	Daily	Daily	Daily	Daily	Daily	Daily	I J	Oth	We	STATIONS	D F	Da	ily	Daily Da	ly	Daily	Daily	Daily	Daily	Daily Ex. Sun.	SUNDAY	SUNDAY	Daily	Daily	Daily
L PM 124 8.30	122 7.32	6.16	118 4.28	116 3.50	L PM	12.21	108 11.59	106 10.13	104 9.43	102 8.16	100 7.11	39	Y 3		WEST WOODBURNRN	2.47 D	J A 10	AM A	103 8.13 9	AM A	107 10.10	1 1.58	12.18	113 2.27	A 2.48					128 8.28
A 8.38		6.24 A		3.58	2.38 A 2.38	12.29	1 2.07	10.21	9.51 AM	8.24 AM		100000	84	2.47	WOODBURNBN	I		OOL	8.05 L 9	32	10.02	11.50	1 2.1 C	2.19	1 2.40	L 3.39	L 4.17	L 5.52	L 7.22	L 8.20
120	121	119	117	115	113	111	109	107	105	103	101	qi II	V to		2.47		10	0 1	102 10	4	106	108	110	112	114	116	118	120	122	124
	Daily	Daily	Daily	SUNDAY	Daily	Daily	Daily	Daily	Daily	Daily	Daily	DE L	111		The state of the s		Da	ly I	Daily Da	ly	Daily	Daily	Daily	Daily	Daily Ex. Sun.	SUNDAY	SUNDAY	Daily	Daily	Daily
Daily	Daily												_		Time Over District Average Speed per Hour			08			.08 18.5	.08 18.5	.08 18.5	.08 18.5	0.8	.08 18.5	.08 18.5	.08 18.5	.08 18.5	.08 18.5

EAST BOUND TRAINS ARE SUPERIOR TO WEST BOUND TRAINS OF THE SAME CLASS. EXCEPTIONS:

No. 113 is superior to No. 114.

No. 109 is superior to No. 110.

No. 105 is superior to No. 106.

SPECIAL RULES

Standard clocks are located at the Dispatcher's office, Hoyt Street Station, Portland, Salem and Eugene.

Registering Stations: Hoyt Street Station, Portland, Garden Home, Tualatin, West Woodburn, Salem, Albany, Gray, Eugene, Forest Grove, Woodburn and Corvallis.

- No. 1. Special Rules Supersede Rules and Regulations of Transportation Department.
- No. 2. Rule 83-A will not apply at initial stations which are not telegraph stations, and at telegraph stations except during office hours, or when an operator is on duty after office hours.
- No. 3. Register exceptions: At Tualatin Trains 2, 4, 20, 22, 15, 17, 19, 21, 55, 56, 57, 58, 59 and 60 only will register. West Woodburn is register station for Sixth district trains and 63 and 64 only. Gray is register station for Third district trains only.
- No. 4. All trains must obtain clearance cards before leaving Salem and Albany.
- No. 5. In column telegraph and telephone stations the letter J indicates telephone, letter P indicates telephone Jack for use with portable telephones.
- No. 6. Trains will be governed by the Interlocking Signal Tower Signals at Southern Pacific Crossing at Beaverton and Southern Pacific Crossing at Greenburg. All trains must approach Interlocking Signals under control, expecting to find Signal at "Stop" and Derail open. Westbound trains wishing to use passing track Beaverton will come to full stop at home signal, sound one long and four short blasts whistle. When lower semaphore blade is raised train may pro-
- No. 7. Eastbound Passenger Trains will stop at any street intersection on Salmon and Tenth Street, Portland, for the purpose of discharging passengers. Second and Salmon Streets, Fifth and Salmon Streets, Tenth and Morrison Streets, and Tenth and Stark Streets, Portland, are regular stops for all Westbound Trains for the purpose of picking up passengers. Passengers will not be allowed to board trains at any other street crossing except the above.
- No. 8. Unless otherwise advised, Passenger Trains must not consist of more than three cars between Jefferson Street Station and Hoyt Street Station. Freight Trains or cars are not permitted to use tracks between Front and Salmon Streets, Portland, and Hoyt Street Station,
- No. 9. On Passenger Trains vestibule doors between coaches must be kept closed when made up in trains and under no circumstances will passengers be permitted to pass from one coach to another by stepping across.
- No. 10. Trap Doors must be kept down and side vestibule doors closed while trains are in motion. It is just as imperative that trap doors be down as it is that side vestibule doors be kept closed. Vestibule doors will be opened and trap doors up only when trains are making sta-
- No. 11. When Passenger Cars are added to or taken off Passenger Trains trolley poles must be lowered from trolley wire before bus line is coupled or uncoupled. Fuses must not be renewed nor any part of the electrical appliances of motor cars touched or repaired until trolley pole has been lowered from the trolley wire. Glass cover over Automatic Relay must not be removed. Defective Relays must be reported at once.
- No. 12. Trolley pole must be lowered from trolley wire by means of a rope at all times. To lower trolley pole from trolley wire by getting on top of motor car and catching hold of trolley pole by hand will not be permitted; to do so is dangerous and may prove fatal. Trolley poles on double end control cars must be kept under hook when not in use, and must not be left suspended by retriever rope. But one trolley pole must be used between bridge three west of Corbett Street and Portland
- No. 13. Derail switches are located on all Passing Tracks and Spurs where there is danger of cars running out. Derails must be left at derail at all times except when in use.
- No. 14. Junction switch at Garden Home when not in use will be left set and locked for First district Track.

SPEED RESTRICTIONS.

No. 15. Reduce speed to twenty miles per hour between Fulton Park and View Point. Westbound Passenger Trains must not exceed schedule time between Multnomah and Garden Home. Eastbound Passenger Trains must not exceed schedule time between Multnomah and Corbett St. Eastbound freight and work trains must not exceed twenty miles per hour between Nasoma and Tualatin, and twenty miles per hour between Multnomah and Corbett St. Westbound freight and work trains must not exceed twenty miles per hour between Multnomah and Metzger, and Garden Home and Whitford. Speed will also be reduced at following points and through cities covered by ordinance:

Greenburg-10 miles per hour over S. P. crossing.

Donald-20 miles per hour. Salem-10 miles per hour.

Albany-12 miles per hour.

Harrisburg-8 miles per hour intersection of Fourth and Kelsey Sts., Third St. West depot; 20 miles per hour within city limits between hours 5:00 a, m, and 10:00 p, m

Junction City-8 miles per hour.

Forest Grove-15 miles per hour, except 5 miles per hour between Pacific Avenue and Depot. Give proper warning approaching all street crossings.

At Hillsboro trains must reduce speed to ten miles per hour through city limits of Hillsboro. All trains will stop at crossing of P. E. & E. Railway, Sixth and Washington Sts.; also stop at crossing of P. E. & E. and P. R. & N. Railways, North Range and Washington Sts.

YARDS.

- No. 17. Portland Yard Limits extend from Hoyt Street Station to Abernathy Street. Salem Yard Limits extend from Hood Street to Melas. Albany Yard Limits extend from Gravel Pit Switch east of Albany to Coover. Eugene Yard Limits extend from Blair Street to Pearl Street.
- No. 18. In Portland Yard all trains, including light engines and motors, must approach all street crossings under control, stop before crossing tracks of another company. Portland Railway cars within one hundred feet of crossing shall be given right of way. Trains will not be required to stop for United Railway crossing, Tenth and Flanders Streets, Portland, but will reduce speed to five (5) miles per hour. Trains using Flanders Street track will flag this crossing. All trains must come to stop at crossing Portland Railway tracks at Corbett Street and sound one blast of whistle before proceeding. Portland Railway cars have right of way.

In Salem Yard, all trains, including light engines and motors, must approach all street cross-No. 19. ings under control and stop before crossing tracks of Salem, Falls City & Western Ry. on

Union Street, and Southern Pacific on Trade Street.

All trains must use extra precaution in going across Commercial Street, reducing speed to ten (10) miles per hour. Eastbound trains must sound motor whistle, in addition to ringing bell, before crossing this street.

Trains will not be required to stop at following crossings with tracks of P. E. & E. Ry.:

Hood Street Center Chemeketa State Commercial

but will approach and pass over these crossings under control and not exceed speed of ten (10) miles per hour. Freight trains will use Front street between Highland and Bellevue St. All trains, including light engines and motors will approach all street crossings under control. Look out carefully for P. E. & E. cars at Division and Chemeketa streets and stop before crossing tracks of S. F. C. & W. Ry, at Union street and S. P. tracks at Trade street.

Hood Street, Salem, is passenger stop for purpose of discharging through passengers from westbound trains, and picking up passengers on eastbound trains.

Union Street is flag stop for discharging passengers from Train No. 1 and receiving passengers on Train No. 64.

In Albany Yards, all trains, including light engines and motors, must approach all street crossings under control, and stop before crossing tracks of Corvallis & Eastern on Lafayette Street, and Southern Pacific on Railroad Street.

Trains will not be required to stop before crossing tracks of P. E. & E. Ry. on Lyon Street, but will approach this crossing under control and not exceed speed of ten (10) miles per hour

Freight trains will use Water Street track in Albany Yard Limits, between Leander, mile 76.2, and Coover, mile 78.5.

All trains using Water Street track are required by ordinance to stop at and sound whistle before crossing Callipooia Street, which is protected by stop boards.

All trains will stop and flag the four Southern Pacific crossings on Water Street, Albany

SPECIAL RULES—Continued

No. 21. In Eugene Yards, all trains, including light engines and motors, must approach all street crossings under control.

Trains will not be required to stop for P. E. & E. Ry. crossings at Blair Street and at Willamette Street, but will approach and pass over crossings named under control and not exceed speed of ten (10) miles per hour.

Blair Street is a passenger stop for the purpose of discharging through passengers from westbound trains, and picking up passengers on eastbound trains.

- No. 22. Orenco yard extends from yard limit board five hundred (500) feet east of Fifth district junction switch to five hundred (500) feet west of Orenco Nursery Company's switch.
- No. 23. Posts have been placed at crossovers on double track between Portland and Garden Home. These crossovers have been designated as follows:

"A" is crossover located at Clay St., Portland.

"B" at Oregon Electric Shops.

"C" at Abernathy Street.

"D" at retaining wall.

"F" at Multnomah.

"G" at Barstow.

"H" at Garden Home.

No. 24. LOCATION OF OVERHEAD AND SIDE OBSTRUCTIONS.

Railway line clearance: Height from top of rail, fourteen feet; width, ten feet. Conductors must be absolutely positive that loads do not exceed these dimensions, and must not move cars greater than these dimensions without instructions from Superintendent.

Train employes are cautioned not to lean out of cab or cars while passing following overhead and side obstructions:

Two overhead bridges, Portland Lumber Company, between Harrison St. and Sherman St. Tualatin River bridge, just east of Tualatin.

Southern Pacific overhead bridge, just east of Tualatin.

C. & E. overhead bridge, Water Street, Albany.

Southern Pacific siding, Water Street, Albany, opposite Senders warehouse.

The two Portland Lumber Company overhead bridges, Tualatin River bridge, Southern Pacific overhead bridge just east of Tualatin, C. & E. overhead bridge, Water Street, Albany, will not clear men on top of box cars.

Engine bell on baggage motors must not be rung while passing under C. & E. overhead bridge,

Water Street, Albany, as it will not clear trolley wire when ringing.

Double track between O. E. Shops and Abernathy Streets, Portland, has only 10-feet 9-inch centers. Passenger trains when meeting between points named will reduce speed to ten (10) miles per hour. Freight trains meeting or passing passenger trains between points named must come to full stop and see that nothing is projecting from train that will foul passenger equipment.

AIRBRAKES.

- No. 25. In addition to the usual inspection of airbrakes, after making up, setting out cars from, or adding cars to the train, motorman will sound one long blast of the whistle. Rear brakeman or conductor will then proceed to apply the brakes by opening cock at rear end of last car in train gently, only allowing enough air to escape to apply the brakes slowly and firmly. With the brakes applied a further inspection must be made to note possible defects. Motorman should watch gauge, and if proper reduction is made in train line, he will acknowledge same by two short blasts of the whistle. If car repairers are on duty, they will make this test at all terminal stations. All Eastbound trains except those stopping at Multnomah must make running test of airbrakes just before passing first road crossing east of Multnomah, bringing train to full stop.
- Retainers will be turned up on eastbound freight trains from Multnomah to Corbett Street and on westbound freight trains from Multnomah to Greenburg and Garden Home to Beaverton.

BUSINESS-TRACKS AND PASSENGER	FLAG STOPS 1	NOT SHOWN	AS STATIONS	ON TIME TABLE
	First and Second	d Districts		

Name.	Mile Post	Capacity	FLAG STOP FOR TRAINS.
Shops	2.1	201-00,0	2-4-30-54-56-58-60-53-55-57-59-43 only.
Fulton Park	4.6		All trains except 6-34-10-36-38-40-16-42-5-35-7-37-9-39-13-41-21.
Ryan Place	5.8		All trains except 6-34-10-36-38-40-16-42-5-35-7-37-9-39-13-41-21.
Shahapta	6.7		All trains except 6-34-36-10-38-40-16-42-5-35-7-37-9-39-13-41-21.
Maplewood	7.3	Tuesday Ivol	All trains except 6-34-10-36-38-40-16-42-5-35-7-37-9-39-13-41-21.
Barstow	7.8	57	All trains except 6-34-10-36-38-40-16-42-5-35-7-37-9-39-13-41-21.
Nesmith	9.0	4	All trains except 10-16-5-13.
Pine Knot	9.5	- 1	4-6-56-60-15-17-19-55-57-59 only.
Greenburg	10.7	9	All trains except: 10-16-5-13.
Trece	12.5		4-6-56-60-15-17-19-55-57-59 only.
Bonita	13.1	5	All trains except: 10-16-5-13.
Durham	14.0	4	All trains except: 10-16-5-13.
Golf	15.1	- 4	All trains except: 10-16-5-13.
Tualatin Mill	15.2	5	Not Passenger Stop.
Cook Sour	17.4	7	Not Passenger Stop.
Cook Spur		2	
Cahalin	19.3	2	Not Passenger Stop.
Downing	19.8		Not Passenger Stop.
Clutters	20.4	4	Not Passenger Stop.
Prahl	23.3	3	All trains except: 10-16-5.
Wallace	24.3	3	All trains except: 10-16-5.
Butteville	25.6	5	All trains except: 10-16-5.
Fargo	26.5	3	All trains except: 10-16-5.
Fellers	29.6	6	All trains except: 10-16-5.
Loganville	32.8	3	All trains except: 5-9-10-16.
Claxtar	47.0	MARKET ALL OF	All trains except: 10-16-5.
Highland	49.2		All trains except: 10-16-5.
Hood St	49.5	7	See Special Instructions 19.
Hazelau	53.4		5-7-9-13-10-16-20-22 only.
Finzer	56.2		All trains.
Halls Ferry	57.4	21	All trains.
Loewi	61.0	(a) Talkana	All trains.
Wintel	66 2	HE HERE IS	5-9-10-20 only.
Geary Street	76.6	E PURINT P	All trains.
Awbrey	114.7		All trains except: 10-13.
Ross	116.8	al fallacin	5-9-21-2-16-22 only.
Avard	117.9		All trains except: 10-13.
Blair Street	121.9	All last bear	See Special Instructions 21.
			Third District
Orleans	84.5		All trains.
POSICE NAME for the	SE MINISTER	to view II)	Fourth District
Firlock	8.8	2	All trains.
Milkapsi	18.3	2	All trains.
Fearing	18.5	2	Not Passenger Stop.
Moffat	20.2	1000	All trains.
Rhoades	20.6	5	Not Passenger Stop.
Ninth St., Hillsboro	20.9	a to face a significant	All trains.
Sixth St., Hillsboro	21.0		All trains.
Varley	23.7		All trains.
Haynes	26.0	4	All trains.
Race Track	26.5		All trains.
Pacific Street	27.2	THU .	All trains.
cial A strategic and and	arranial .	mairene.	Fifth District
Equity	4 Miles	4 .	

All trains.

Scollard.....

RULES GOVERNING AUTOMATIC BLOCK SIGNAL BETWEEN GARDEN HOME AND JEFFER-SON STREET, PORTLAND.

No. 501.

SIGNAL	OCCASION FOR USE	INDICATION	NAME
Color	The signal will appear when	For enginemen and trainmen	As used in rules
(A) Red	Block is not clear	Stop	Stop-signal -
(B) Yellow	Block is clear Second block in advance is not clear	Approach next signal prepared to stop	Caution-signal
(C) Green	Block is clear	Proceed	Clear-signal

Type of signal used is three (3) position upper left hand quadrant semaphore.

The governing arm is displayed to the left of the signal mast as seen from an approaching train, and indications are given by position as follows:

Horizontal—as the equivalent of A. Diagonal—as the equivalent of B. Vertical—as the equivalent of C.

No. 502. Block signals control the use of the blocks, but, unless otherwise provided, do not supersede the superiority of trains, nor dispense with the use or the observance of other signals whenever and wherever they may be required.

No. 503. Block signals for a track apply only to trains running with the current of traffic on that track. No. 504. When a train is stopped by a block signal, it may proceed when the signal is cleared. If not immediately cleared, it may proceed (see A and B).

(A) On single track, preceded by a flagman to the next clear signal, except that if the next signal in advance can be plainly seen to be a caution-signal or a clear-signal, train may proceed under control without sending a flagman ahead, expecting to find track impassable. Or—

(B) On double track at once under control, expecting to find track impassable.

No. 506. When a train is stopped by a block signal which is evidently out of order, and not so indicated, the fact must be reported to the Superintendent by wire from next open office.

No. 507. Lights must be used upon all block signals from sunset to sunrise, and whenever the signal indications cannot be clearly seen without them. At such times if lights are not burning, or if a white light is shown where a colored light should be, trains must ascertain and be governed by the day signal indication before passing signal.

No. 508.. Rule No. 504A will govern use of block through gauntlet track between Harrison and Sherman Streets, Portland.

No. 509. Sign post, "BLOCK LIMIT," is located 500 feet east of first signal westbound track, west of Jefferson Street. All trains having schedule meeting points or meeting points made by special order at Jefferson Street, will not pass "BLOCK LIMIT" post until eastbound train has cleared west end of gauntlet track, Harrison Street.

Yard engines, work trains or special movements of any character must not pass "BLOCK LIMIT" post westbound track on time of eastbound first-class trains. Sherman St. time to apply.

No. 510. The opening of any switch will set and hold signal of that block at stop until the switch is closed. The opening of any switch at either end of a double track crossover will hold signals on both main tracks at stop. If either end of a siding crossover on single track is opened, it will set and hold the signals that control the block or main track to which it leads, in both directions, at stop. Neither switch nor crossover must therefore be opened, until the movement of the train is to be made and must be closed immediately after the movement has been made and the switches locked. When it is necessary to stop at any signal, the front wheels of a train must be at least twenty (20) feet back of the signal, in order to avoid fouling the circuits.

No. 511. Miniature signals, known as switch indicators, located at crossovers and all main line switches in territory covered by block signals, are not yet operative. All movement through crossovers and main line switches in block territory must be made under protection of flag against current of traffic.

LIST OF SURGEONS AND HOSPITAL DEPARTMENT INSTRUCTIONS.

Surgeons will attend, when called upon officially, to all cases of accident occurring to employes or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible the Hospital Fund will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Hospital Fund after such surgeon is able to assume charge of the case.

Boarding and nursing are furnished only at hospitals with which the Company has made arrangements. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

Stretchers are located at following points: Portland, O. E. Shops; Garden Home; West Woodburn; Albany.

TABLE OF TRAIN SPEEDS

If a train covers the distance between two mile posts in 65 seconds the speed is 55.3 miles per hour.

SURGEONS

DR E. B. McDANIEL, Chief Surgeon, Electric Bldg., Portland. Phones: Marshall 1496; A-1496.

DR. ROY C. McDANIEL, Electric Bldg., Portland. Phones: Marshall 1496; A-1496.

DR. G. H. DCUGLAS, Local Surgeon, Multnomah.

DR. W. D. WOOD, Local Surgeon, Hillsboro.

DR. QUENTIN TUCKER, Local Surgeon, Forest Grove.

DR. A. C. SCHROEDER, Local Surgeon, Tualatin.

DR. O. P. OVERTON, Local Surgeon, Woodburn.

DR. W. B. MORSE, Local Surgeon, Salem.

DR. C. H. ROBERTCN, Local Surgeon, Salem. DR. F. E. BEAUCHAMP, Local Surgeon, Albany, Ore.

DR. W. H. DALE, Local Surgeon, Harrisburg.

DR. D. P. LOVE, Local Surgeon, Junction City. DR. B. F. SCAIEFE, Local Surgeon, Eugene.

Sec. Per Mile	Miles Per Hour	Sec. Per Mile	Miles Per Hour	Sec. Per Mile	Miles Per Hour
47	76.6	57	63.1	67	53.7
48	75.0	58	62.0	68	52.9
49	73.4	59	61.0	69	52.1
50	72.0	60	60.0	70	51.4
51	70.6	61	59.0	75	48.0
52	69.2	62	58.0	80	45.0
53	67.9	63	57.1	85	42.3
54	66.6	64	56.2	90	40.0
55	65.4	65	55.3	100	36.0

WATCH INSPECTORS:

A. L. HAMAN, Chief Time Inspector, St. Paul. Minn.

AL. W. FIELD, Portland. H. W. BARR, Salem.

C. O. ANDERSON, Albany.

E. M. HERRING, Dispatcher

S. A. GAGNON,

E. D. LACKEY,

H. M. HUSTON, Asst. Chief Dispatcher

A. KASE, Chief Dispatcher

E. B. HEATH, Trainmaster

34.5