SPOKANE, PORTLAND & SEATTLE R'Y CO.

PORTLAND DIVISION

TIME TABLE NO. 72

TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M. PACIFIC TIME

SUNDAY, SEPTEMBER 16, 1917

SUPERSEDING TIME TABLE NO. 71 AND ALL SUPPLEMENTS THERETO
THIS TIME TABLE IS FOR THE USE OF EMPLOYES ONLY

OUNTH CLASS	THIRD CLASS				FIRST CLAS	SS			c	ar	Ħ	Time Table No. 72	Ħ	e e				FIRST CLAS	s /	TI	HIRD CLASS	FOURTH CLA
181	93			23	27	25	88	21	Cap	ncity	e fro	SEPT. 16, 1917	ria	Wyes	26	22	34	28	24		94	182
Local Freight	Time Freight			Passenger	Passenger	Passenger	Passenger	Passenger	ssing	Other	Distance Portla	· · · · · · · · · · · · · · · · · · ·	Distance fro	fater, WyrnTables,	Passenger	Passenger	Passenger	Passenger	Passenger		Time Freight	Local Freight
Daily Ex. Sunday	Daily Ex. Saturday			Daily	Daily	Daily	TUES., THURS. AND SATURDAY	Daily	AF.	OF	ŭ	STATIONS		Tur	Daily	Daily	SUN., WED. AND FRIDAY	Daily	Daily	I	Daily Ex. Monday	Daily Ex Sunday
6.00 W	L10.00 PM			L 6.15 PM	L 5.35 PM	L12.35 PM	L 9.30 W	L 8.10 M	Yard		0.0	DNPORTLANDOW	99.8	RWTFO	A 9.15 M	A12.20 PM	A 4.35 PM	A 5.00 PM	A 9.55 PM	A	3.00 M	A 3.00
			¥	BET-WE	EN PORT	TLAND A	ND WIL	LBRIDGI	E TR	AINS	s W	LL BE GOVERNED BY TERMIN	ALS	DIVISI	ON TIM	E TABLE	AND SP	ECIAL R	ULES			
6.22	10.19			6.31	5.51	12.51	9.45	8.26	Yard		4.4	DNWILLBRIDGEBA	95.4	J	8.59	12.04 PM	4.19	4.44	9.39		2.35	2.35
6.35	10.28			6.36	s 5.58	12.57	9.49	s 8.31	85	78	7.3	D LINNTON IN	92.5		8.53	s11.58	4.15	s 4.38	9.33		2.23	2.20
6.38	10.30			6.37	5.59	12.58	9.50	8.32			7.9	P UNITED JUNCTION	91.9	J	8.50	11.53	4.14	4.36	9.32		2.20	2.10
7.00	10.43			6.44	f 6.10	1.08	9.58	8,42	88	6	12.6	4.7 HOLBROOK	87.2	W 3 M1. W.	f 8.42	11.46	4.05	f 4.27	9.23		2.00	1.53
7.30	11.05			6.56	s 6.26	s 1,25	10.09	s 8.55	39	8	19-9		79.9		s 8.20	s11.33	3.52	s 4.12	f 9.09		1.27	1.25
7.47	11.17			7.03	1 6.36	f 1.34	10.15	9.04	32	5	24.3		75.5		8.07	11.26	3.45	f 4.03	9.00		1.07	1.02
7. 59	11.25			7.07	6.41	1.41	10.19	9.09	58		27.1	2.8 CORMICK	72.7		1 7.59	11.22	3.39	3.57	8.55	1	12.54	12.47
8.04	11.27			s 7.09	s 6.43	1.43	10.20	s 9.11	I^-	12	27-6	DST. HELENSHU	72.2		s 7.58	s11.21	3.38	s 3.56	s 8.54		12.52	12.45
8.15	11.37		1 5.63	7.15	6.51	1.54	10.26	9.17	52	5	31.3	3.7	68.5	w	7.48	11.14	3.32	3.47	8.45		12.36	12.27
8.25	11.43			7.18	s 6.56	2.00	10.29	1 9.22	Г	10	33.2	DEER ISLANDDJ	66.6		s 7.43	11.11	3.28	s 3.43	s 8.42		12.27	12.17
8.41	11.54			7.25	1 7.04	1 2.10	10.35	9.30	28		37.2		62.6		1 7.33	11.04	3.21	1 3.35	8.33	1	12.10	11.56
8.50	12.01 M			s 7.29	s 7.09	s 2.17	10.38	9.35	27	79	39.4		60.4	т	* 7.27	s11.00	3.17	s 3.31	s 8.28		12.01 M	11.45
9.20	12.22			7.39	7.20	2.30	10.50	9.45	16		45.3	75.9 REEDS	54.5	W 1.9 Ml. E.	7.11	10.50	3.06	3.17	8.16		11.34	11.03
9.25	12.24			s 7.42	s 7.25	s 2.35	10.51	s 9.48		11	45.8	DRAINIERRA	54.0		s 7.10	s10.45	3.05	s 3.15	s 8.15		11.32	11.00
1-22-33-182 9.45 1 1.03	12.27			7.45	A 7.30 PM	A 2.40 PM	181-182 1 0.53	181-182 9.50	60		46.8	P AVON	53.0	RT	L 7.00 M	181-182 I O.40	3.03	L 3.10 PM	8.12	:	11.28	21-33-22- 1 O.53 9.50
11.23	12.52			8.00			11.05	f 10.07	17		53.5	PYRAMID	46.8			110.23	2.52		f 8,00		10.58	9.14
11.32	1.01			f 8.05			11.09	s 10,16	14		55.8	2.3	44-0			s 10.16	2.48		s 7.53		10.47	8.55
11.42	1.15			f 8.13			11.16	s10.25	51		59.3	QUINCY	40.5	w		f10.05	2.42		s 7.43		10.32	8.34
11.55	1.25	90 F.		s 8.21			11.22	•10.33	42	48	62.2	DNCLATSKANIECN	87.6			s 9.57	2.37		s 7.35		10.19	8.16
12.13 PM	1.43	. 18	10	f 8.32			11.30	f 10.44	60		66.6	MARSHLAND	33.2			1 9.43	2.29		1 7.22		9.59	7.50
12.30	2.00	1 10		s 8.43			11.38	s 10.56	33	40	71.2	WESTPORT	28.6	1 - 1		s 9.30	2.22		* 7.11		9.38	7.23
12.42	2.09			s 8.48			11.42	s11.01		54	73.5		26.3			s 9.24	2.17		* 7.04		9.28	7.10
1.05	2.29			s 9.02			11.53	s11.15	49		78.4	4.9 CLIFTON	21.4	w		s 9.13	2.08		s 6.50		9. 02	6.50
1.30	2.50			f 9.17			12.05 PM	f11.30			84.9	BLIND SLOUGH No Siding BS	14.9			f 8.59	1.58		1 6.34		8.45	6.28
1,55	2.55			s 9.22			12.08	•11.35		35	86.5	KNAPPA	13.3			s 8.55	1.55		s 6.29		8.40	6.22
2.11	3.10			9.32			12.15	s11.45		46	90.2	3.7————————————————————————————————————	9.6			s 8.47	1.49		s 6.18		8.30	6.08
2.35	3.30			9.45			12.25	111.59	38		95.4	5.2- JOHN DAY	4.4		-	f 8.35	1.40		1 6.05		8.15	5.50
3.00 PM	A 3.50 AM			A10.00 PM			A 12.40 PM	A 12.15 PM	Yard		99.8	DNASTORIARO	0.0	RWTOF		L 8.20 M	L 1.25 PM		L 5.50 PM	ı	7.50 PM	ι 5.30
181	93			23	27	25	33	21							26	22	34	28	24		94	182
Daily Rx. Sunday	Daily Ex. Sunday			Daily	Daily	Daily	TUES., THURS.	Daily							Daily	Daily	SUN., WED. AND FRIDAY	Daily	Daily	1	Daily Ex. Sunday	Daily I Sunda
9.00 11.1	5.50 17.1		7.5	3-45 26-6	1.55	2.05 22.5	3·10 32·3	4.05 24.4	1			Time Over District. Average Speed Per Hour.			2-15 20.8	4-00 25-0	3.10 32.3	1.50 25.1	4-05 24-4		7.10 13.9	9.50 10.5

			•	WEST BOUND		SE	COND	DIST	RIC	T—	BETWE	EN ASTO	RIA	AN	D HOL	LADA	Y		1	EAST E	BOUND				3
3rd CLASS	SEC	COND CLA	SS		FIRST CLASS	3			Ca	. ,	m: m	11 NI 70	п	nei				FIRST CLASS	3			SE	COND CLA	SS	3rd CLASS
93	87	85	83			28	33	21	Cap'	cty Long	Time T	able No. 72 r. 16, 1917	ces fror	r, Wyes bles, F Scales	22	34	24				8	0	84	86	94
Time Freight	Mixed	Mixed	Mixed			Passenger	Passenger	Passenger	rack	rack rack jistan)istan Hol	Wate rn Ta	Passenger	Passenger	Passenger				Mi	xed	Mixed	Mixed	Time Freight
Daily Ex. Sunday	Daily	Daily	Daily				1HUH5., 5A1.							·		WED., FAI.					Di	ily	Daily	Daily	Daily Ex. Sunday
L 4.05W	L 4.25PM	L12.05P	i 8.35u			L10.10PA	112.40PM	L 12.25P	Yd	99.8	DNA	**************************************	19.3	RWT 0 F	A 8.10M	A 1.25PM	A 5.40PM				A 7	55.W	A11.45M	A 2.00PA	A 7.35
4.25	f 4.40	f 12.20	f 8.52		1	10.25	12.55	12.40	1	104		YMEAD No Siding	15.1		7.55	1.10	5.25				f 7	40	11.25	f 1.42	7.16
A 4.30W	s 4.45 5.20	A12.25P	s 9.00		N.	f 10.30	A 1.00PM	s 12.45		43 105.0	DWAR	RENTONWA	13.5	JRY	s 7.50	L 1.05PM	s 5,20				s 7	35 00	s 11.20	L 1.35PA	L 7.10
	1 5.24		f 9.05			10.33		f 12.48		3 107.	sk	IPANONSpur	12.1		7.43		f 5.11				f 6	56	f 11.10		
	f 5.27		f 9.11			f 10.36		f 12.51		9 108.	COLUM	BIA BEACH Spur	10.9		f 7.40		f 5.08				1 6	53	f 11.07		
	f 5.31		f 9.16			10.39		f 12.54		109.	GLE	NWOODNo Siding	9.4	b	7.37		f 5.05				f 6	50	f 11.04		
	f 5.33		f 9.20			f 10.41		f 12.56		2 110.		NAHANSpur	8.8	/	f 7.35		f 5.03				1 6	.48	f 11.02		
	1 5.37		f 9.26			f 10.45		f 1.01	23	112.		WEST	7.0	1	f 7.31		f 4.59				f 6	.44	f 10.57		
	1 5.40		f 9.30	-		f 10.47		f 1.04		3 113	CL	ATSOPSpur	5-9	/	1 7.28		f 4.57				1 6	42	f 10.54		
	f 5.44		f 9.34			10.50		f 1.07		114	BUTTE	RFIELD No Siding	4.7		7.25		f 4.55				f 6	39	f 10.51		
	s 5.47		s 9.45			s 10.53		s 1.11		14 115.	GE	ARHARTGF	3.4		s 7.22		s 4.52				s 6	.36	s 10.48		
	f 5.50		f 9.49			10.55		f 1.14		116	WAH	NNAHNo Siding	2.3		f 7.19		f 4.49				f 6	34	f 10.45		
	1 5.52		f 9.53			10.57		f 1.17		117.		SURF No Siding	1.7		f 7.17		f 4.47				f 6	.32	f 10.43		
	s 5.55		*10.00			s 11.00		s 1.20	22	56 118.	Ds	EASIDESI		R W	s 7.15		s 4.45				s 6	.30	\$10.40		
	A 6.00PM		A 10.05W			A11.05P	м	A 1.25	23	119		LLADAY		Y	L 7.05M		L 4.30₽₩				۱ 6	.25w	L10.30W		
93	87	- 85	83			23	33	21							22	34	24				8	0	84	86	94
Daily Ex Sunday	Daily	Daily	Daily			Daily	TUESDAY, THURS., SAT.	Daily							Daily	SUNDAY, WED., FRI.	Daily					ily	Daily	Daily	Daily Ex. Sunday
0.25 14.0	1.00 19.3	0.20 17.7	1 30 12 9			0.55 21.0	0·20 17·7	1.00 19.3			Time Average	Over District. Speed Per Hour.			1.05 17.8	0·20 17·7	1.10 16.5				0 21	55 0	1.15 15.4	0.25 14.0	0.25 14.0

SPECIAL RULES EAST BOUND TRAINS ARE SUPERIOR TO WEST BOUND TRAINS OF THE SAME CLASS. EXCEPTIONS:

No. 83 is superior to No. 84.

	WEST BOUN	ID				THIRD D	ISTRICT-	BET	WI	EEN WARRENTON	A	ND	FORT STEV	ENS			EAST I	BOUND
THIRD CLASS		SEC	COND CLAS	S		FIRST	CLASS	I	l a	Time Table No. 72	8	In	FIRST CLASS	S	ECOND CLASS	3	THIRD CLASS	
93			89	85	81		33	city of Tracks	ces fron	Time Table No. 72	nces from	r, Wye. Tables Scales	34	82	86	88	94	
Time Freight			Mixed	Mixed	Mixed		Passenger	Caps	istan		Fort	Wate	Passenger	Mixed	Mixed	Mixed	Time Freight	SPECIAL RULES
Daily Ex Sunday			Daily	Daily	Daily	36)	TUES., THURS.		a	STATIONS	A		SUN., WED., FRIDAY	Daily	Daily	Daily	Daily Ex. Sunday	EAST BOUND TRAINS ARE SUPER-
ι 4.30	AM	L	4.45PM	L 12.45PM	7.00		L 1.00F	43	0.0	D WARRENTONWA	3.8	JRY	A 1.05PM	A 7.35M	A 1.35PM	A 5.16PM	A 7.10PM	IOR TO WEST BOUND TRAINS OF THE SAME CLASS.
A 4.40	AM	s	4.50	s 12.50	s 7.05		A 1.05F	Yard	1.8	DN FLAVEL	2.0	RWF	L 1.00PM	s 7.30	s 1.20	s 5.10	L 7.05PM	EXCEPTIONS:
	7.	. s	4.55	s 12.55	s 7.10			1	2.9	9HAMMONDSpur	0.9			s 7.25	s 1.15	s 5.05		No. 81 is superior to No. 82
		A	5,00PM	A 1.00P.M	A 7.15W		1	Yard	3.8	0.0	0.0	RY		L 7.20M	L 1.10PM	L 5 ,00PM		No. 85 is superior to No. 86 No. 89 is superior to No. 88
93			89	85	81	- /	83			-	•		34	82	86	88	94	The same superior to the same
Daily Rx Sunday			Daily	Daily	Daily		TUES., THURS	,					SUN., WED., FRIDAY	Daily	Daily	Daily	Daily Ex Sunday	
0.10. 10.8			0·15 15·0	0.15 15.0	0.15 15.0		0.05 21.04			Time Over District. Average Speed Per Hour.			0.05 21.4	0·15 15·0	0.25 9.1	0·16 14·9	0.05 21.4	

GRADE CROSSINGS

NAME	Miles from Portland
P. & S.W. Ry. (Interlocking Plant)	38.1

OVERHEAD CROSSINGS

NAME	Miles from Portland
Hammond Lumber Co	
Oregon Timber & Log Co	77.3

JUNCTIONS WITH LOGGING ROADS

NAME	Miles from Portland	Switch at
Portland & Southwestern Ry	20.1	East end
St. Helens Lumber Co	27.0	West end
Deer Island Logging Co	32.5	East end
Goble, Nehalem & Pacific Ry		East end
Noves Holland Logging Co		West end
Benson Timber Co		East end
Colum. & Nehalem Riv. Ry	69.8	West end
Oregon Timber & Log Co		West end
Big Creek Logging Co		West end
Bear Creek Logging Co		West end

LOCATION AND LENGTH OF TUNNELS

No.	LOCATION	Length
3	1.2 miles east of Mayger	175 feet
4	.6 miles east of John Day	176 feet

YARDS

Linnton yard limits extend five hundred feet west of United Junction switch to five hundred feet east of east switch of passing track.

Astoria yard limits extend from Tongue Point to 390 feet west of

Smith's Point switch.
Warrenton yard limits extend from 2500 feet east of East switch

to 2600 feet west of west switch on Second District.
Flavel yard limits extend from Warrenton to Fort Stevens.
Seaside yard limits extend from 500 feet east of East switch at Seaside to end of track at Holladay.

WATCH INSPECTORS

	A. L. HAMAN, Chief Time Inspe	ector, St. Paul, Minn.
A. & C.	FELDENHEIMER	PORTLAND
AT. W.	FIRLD	
EMIL N	ELSON	ASTORIA
B. M. Y	OUNG	RAINIER

CAPACITY OF ENGINES IN ADDITION TO WEIGHT OF ENGINES. TENDERS AND CABOOSES

Ser.					Cla	ss of	Eng			
	DISTRICT	Ruling Grade	150-	157	700		L-1 L-5 D-5 50 55 156	L-4 53 54	N-1 350 351 352	N-3 370
Gob Gob Asto Asto Flav War	tland to Goble le to Portland oria to Goble oria to Flavel vel to Astoria rrenton to Holladay laday to Warrenton	.56 .52 .31 .38 .33 .44 1.22 .70	1400 1525 1500 1525	1507 1650 1590 1650 1575 800	1444 1590 1525 1590 1512 766		1143 1100 1143 1084 470	712 860 810 860 810		1872 2100 2050 2100 2050

S. A. GAGNON, Dispatcher

E. D. LACKEY, Dispatcher

E. M. HERRING, Dispatcher

SPECIAL RULES

No. 1. Special Rules supersede rules and regulations of Transportation Department. No. 2. Trains will date from time due to leave initial station.

INITIAL STATION First District.

Willbridge for trains 21, 23, 25, 27, 33, 181, 93. Avon for trains 26, 28. Astoria for trains 22, 24, 34, 182, 94.

TERMINAL STATION. Willbridge for trains 22, 24, 26, 28, 34, 182, 94. Avon for trains 25, 27. Astoria for trains 21, 23, 33, 181, 93.

Second District.

Astoria for trains 21, 23, 33, 83, 85, 87, 93. Warrenton for trains 34, 86, 94. Holladay for trains 22, 24, 80, 84.

Astoria for trains 22, 24, 34, 80, 84, 86, 94. Warrenton for trains 33, 85, 93. Holladay for trains 21, 23, 83, 87.

Third District.

Warrenton for trains 33, 81, 85, 89, 93. Flavel for trains 34, 94. Fort Stevens for trains 82, 86, 88.

No. 7.

No. 22.

Warrenton for trains 34, 82, 86, 88, 94. Flavel for trains 33, 93. Fort Stevens for trains 81, 85, 89.

Unless some form of block signals are used, passenger trains in same direction must keep at least fifteen minutes apart, and other trains ten minutes apart, except in closing up at stations, and operators must space passenger trains fifteen minutes apart and other trains ten minutes apart, operators must space passenger trains inteen minutes apart and other trains ten minutes apart, using the train order signal for that purpose. They must show on clearance card the time train will be allowed to depart. Conductors and enginemen must respect the time marked on clearance card. Trains must approach all stations where the view is obscured at a rate of speed that will enable them to stop should an emergency arise.

REGISTERING STATIONS. No. 4.

Portland, Astoria, War Avon for trains 25, 26, 27, 28. Fort Stevens. Warrenton, Seaside, Flavel for trains 33, 34, 93, 94. Third District trains register arriving and departing time at Fort Stevens by card at Warrenton. Trains 33 and 34 leave register ticket with operator at Warrenton who will register for them.

STANDARD CLOCKS AND BULLETIN BOARDS. No. 5.

Portland and Astoria. Derail Switches are located on all Passing Tracks and Spurs where there is danger of cars running out. Derails must be left at derail at all times, except when in use. No. 6

SPEED RESTRICTIONS.

Maximum speed for passenger trains at any point must not exceed forty-five (45) miles per hour, and freight trains must not exceed thirty (30) miles per hour. Through Town of Linnton, 20 miles per hour.
Through City of Goble, 10 miles per hour. Through City of Goble, 10 miles per hour.
Through City of Rainier, 8 miles per hour.
Between Tongue Point and west end of Young's Bay, 20 miles per hour.

On Pacific Ave., Hammond, 8 miles per hour. Between Flavel and Fort Stevens, 20 miles per hour. Trains must not exceed time table schedule between Warrenton and Astoria.

Attention is called to electrification of main line and passing track at Linnton from United Junction to East of East switch of passing track, and overhead wires and United Railway trains in yard

limits, Linnton.

Draw Bridges are located: Clatskanie River, 0.5 miles West of Clatskanie; Blind Slough; John No. 9. Day River, 0.6 miles east of John Day; Young's Bay, 2.8 miles west of Astoria; Skipanon Creek,

0.1 miles East of Warrenton.

Before crossing the track of a railroad or passing thereon, and before crossing any draw bridge fectore crossing the track of a railroad of passing thereon, and beside crossing any draw strage (except when an interlocking system is in use), every train, engine, motor, hand car or speeder, must be brought to a stop at a distance of not less than two hundred feet, nor more than eight hundred feet, from such crossing, switch, or draw bridge. Enginemen of trains, engines and motors must not proceed until track is plainly seen to be clear and whistle signal, as provided by Rule

14 (b) has been given. At Willbridge Portland division trains will be governed by position of the lower blades of train order semaphore.

No. 21 will stop on flag at Holbrook for passengers for points west of Rainier.

No. 22 will stop on flag at Halco to receive passengers only and at Inglis to receive passengers for No. 13. Portland

No. 23 will stop on signal at Halco, Skipanon, Glenwood, Butterfield, Wahannah and Surf to discharge passengers only.

No. 24 will stop on signal at points east of Rainier to let off passengers from points west of Rainier.

No. 24 will stop on flag at Allendale and Warren Sunday only and at Holbrook Saturday and Sun-

day only.

No. 22 will wait at Astoria for connection with No. 80.

No. 25 will stop at Junction with Deer Island Logging Co. on Monday and Thursday of each. No. 18. week to unload perishable express.

At Warrenton No. 85 waits for connection with No. 21, and No. 24 waits for connection with No. 88. At Linnton, No. 26 waits for connection with United Railway No. 2; No. 22 with United Railway No. 4, and No. 28 with United Railway No. 6.

All trainmen and others interested are hereby warned that the majority of cattle guards on Portland Division are closer to tracks than required standard of the Public Service Commission of

CLEARANCE TABLE

	Height above Top of Rail										
	1' Wide	Wide	Wide	Wide	5' Wide	6' Wide	7' Wide	8' Wide	9' Wide	10' Wide	10'6" Wide
Portland Division	15'6"	15'6"	15'6"	15'6"	15'6"	15'6"	15'6"	15'6"	15'6"	15'6"	15'6"

Conductors must be absolutely positive that loads do not exceed these dimensional not move cars of greater dimensions without instructions from Superintendent.

COMPANY SURGEONS

DR. E. B. McDaniel, Chief Surgeon, Electric Bldg, Portland DR. R. C. McDaniel, Asst. Surgeon, Electric Bldg., Portland DRS. DICKSON, COGHLAN & DAVIS, Oculists, Selling Bldg., Portland DR. S. M. MANN, Local Surgeon, Linnton DR. W. B. WELCH, Local Surgeon, Rainier DR. W. H. LOTT, Local Surgeon, Westport. DR. J. A. FULTON, Local Surgeon, Astoria

DR. W. E. LEWIS, Local Surgeon, Seaside.

Surgeons will attend when called upon officially, to all cases of accident occurring to employes or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established

exists, for which distinct official authority must be had in accordance with established regulations.

Rallway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Hospital Fund will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Hospital Fund after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at hospitals with which the Oompany has made arrangements. We are not responsible for bills incurred elsewhere, unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

STRETCHERS

are located a	at the following points:
Portland	Baggage Room
	Station
Actoria	Station

BUSINESS TRACKS AND PASSENGER FLAG STOPS NOT SHOWN AS STATIONS ON TIME TABLE First District

NAME	Miles from Portland	Car Cap- city	Switch at	Flag Stops for Trains
Portland, G&C Spur	5.6	33	Westend	Not Passenger Stop.
Claremont	6.0	_	777	25-26-27-28.
Col. Engr. Works	6.9	.7	West end	Not Passenger Stop.
West Ore. Lbr. Spur.	8.3	15	West end	Not Passenger Stop.
Ban's Spur	9.8	55	East end	25-26-27-28.
Burlington Spur	11.9	60	West end	25-26-27-28.
Rocky Point	15.7			25-26-27-28.
Johnson's Crossing	18.1			25-26-27-28.
Honeymans	22.0	7	Bothends	
McBride	30.0		1 1	25-26-27-28.
Appleton's Crossing.	32.0			26, 27.
Tide Creek	35.8		4	25-26-27-28.
Nehalem Junction	38.0	4	East end	25-26-27-28.
Prescott Spur	42.2	17	East end	21-24-25-26-27-28.
Oasis	43.4			25-26-27-28.
Plues	46.4	13	East end	Not Passenger Stop.
Rice's Spur	47.0	14	West end	
Tryon Spur	51.4	3	West end	
Downings	52.8			21-24.
Fluhrer's Spur	55.4	7	East end	Not Passenger Stop.
Inglis, 2 tracks	60.3	29	West end	
Palm	63.7			21-24.
Woodson	68.5			21-24.
Kerry Spur	69.8	10	West end	21-22-23-24. Regular Stops
Bugby	75.2			21-24.
Parsons Spur	77.4	2	West end	21-22-23-24.
Aldrich Point	81.7			21-24.
Brody		2	East end	Not Passenger Stop.
Burnside		_		21-22-24.
Fernhill	94.0			21-22-24.
Tongue Point	96.9			21-24.
Halco				21-24.
12th St., Astoria				21-22-24-80-83-84-85-86 87.

Second District

Merryweather	104.2			80-83-84-85-86-87. 80-83-84-87.
	Thi	rd Dis		
Stock Yard Spur Warrenton Clay Spur Barbey Fish Co	106.1 106.3 108.3	8 65 4	West end	Not Passenger Stop. Not Passenger Stop. Not Passenger Stop.

A. KASE, Chief Dispatcher

E. B. HEATH, Trainmaster

P. McKAY, Asst. Superintendent