

OREGON TRUNK RAILWAY

TIME TABLE No. 31

TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M.
PACIFIC TIME

SUNDAY, NOVEMBER 14, 1920

SUPERSEDING TIME TABLE NO. 30 AND ALL SUPPLEMENTS THERETO
THIS TIME TABLE IS FOR THE USE OF EMPLOYES ONLY

E. E. LILLIE, Superintendent

H. M. HUSTON, Supt. Car Service

A. J. DAVIDSON, General Manager

WESTWARD

EASTWARD

THIRD CLASS			SECOND CLASS	FIRST CLASS	Car Capacity		Telegraph Stations	Distance from Bend	TIME TABLE No. 31		Distance from Fallbridge	Water, Oil, Wyes, Turn Tables and Scales	FIRST CLASS	SECOND CLASS	THIRD CLASS		
311	309	81	103	35	Passing Tracks	Other Tracks			IN EFFECT NOV. 14, 1920	STATIONS			36	102	308	310	82
Oregon Trunk O.-W. R. & N. Local Freight	Oregon Trunk Local Freight	O.-W. R. & N. Local Freight	Oregon Trunk Mixed	O.-W. R. & N. Passenger									O.-W. R. & N. Passenger	Oregon Trunk Mixed	Oregon Trunk Local Freight	Oregon Trunk O.-W. R. & N. Local Freight	O.-W. R. & N. Local Freight
Daily Ex. Monday	Tuesday Thursday Saturday	Sunday Wednesday Friday	Daily	Daily									Daily	Daily	Monday Wednesday Friday	Daily Ex. Sunday	Tuesday Thursday Saturday
L 1.00 AM			L 8.00 PM	L 7.00 AM	Yard		D	0.0	BEND ND	156.5	WYO	A 7.00 PM	A 7.35 AM			A 11.30 PM	
1.30			s 8.16	s 7.16	59			7.4	DESCUTES	149.1		s 6.30	s 7.16			10.50	
2.10			s 8.33	s 7.32	59	54	D	16.5	REDMOND RD	140.0	W	s 6.05	s 6.35			10.10	
2.23			s 8.40	s 7.37		18		19.2	PRINEVILLE JUNCTION	137.3		s 5.57	s 6.22			9.57	
2.35			s 8.52	s 7.42	59			22.0	TERREBONNE	134.5		s 5.48	s 6.10			9.45	
3.05			f 9.15	f 7.54	59	27	P	29.5	OPAL CITY	127.0	WI	f 5.32	f 5.42			9.15	
3.35			s 9.36	s 8.05	59	45		36.6	CULVER CU	119.9		s 5.16	s 5.17			8.47	
A 4.00 AM	L 7.00 AM		s 9.50	A 8.15 AM	Yard		DN	41.3	METOLIUS MS	115.2	T.W.G.	L 5.05 PM	s 5.00	A 4.00 PM	L 8.30 PM		
	7.25		s 10.03		58	74		45.5	MADRAS RS	111.0			s 4.40		3.30		
	7.58		f 10.23		59	9		51.6	FELTON	104.9	W.		f 4.17		2.50		
	8.22		f 10.35			33		55.8	VANORA	100.7			f 4.02		2.22		
	8.48		s 10.49		69	25	D	60.7	MECCA MC	95.8	W.		s 3.45		1.50		
	9.25		f 11.09			26		67.7	COLEMAN	88.8			f 3.24		1.18		
	9.42	L 8.15 AM	s 11.18	L 9.12 AM			P	70.7	SOUTH JUNCTION	85.8		A 3.45 PM	s 3.15		1.05		A 2.00 PM
	9.49	8.22	f 11.23					72.5	JERSEY	84.0	W.		f 3.10		12.56		1.52
	10.05	8.34	f 11.34	f 9.23	59			76.2	KASKELA	80.3		f 3.35	f 2.58		12.38		1.35
	10.25	A 8.50 AM	s 11.48	A 9.32 AM			D	81.1	NORTH JUNCTION JN	75.4		L 3.25 PM	s 2.43		12.17		L 1.15 PM
	10.33		f 11.53		59			82.9	NATHAN	73.6	W.		f 2.38		12.09 PM		
	10.58		f 12.13 AM					89.0	FRIEDA	67.5			f 2.20		11.43		
	11.14		f 12.25		59			92.7	NENA	63.8	W.		f 2.09		11.27		
	11.50		12.51		59			101.1	CAMBRAI	55.4			s 1.44		10.50		
	12.01 PM		s 12.53			21	D	101.8	MAUPIN AU	54.7			s 1.42		10.40		
	12.17		f 1.05			25		105.7	TUSKAN	50.8	W.		f 1.30		10.22		
	12.30		f 1.19		58		D	108.8	SHERAR Q	47.7			f 1.19		10.08		
	1.02		f 1.42		58			116.6	OAKBROOK	39.9	W.		f 12.48		9.35		
	1.42		f 2.11		59		P	125.9	SINAMOX	30.6			f 12.18		8.58		
	2.00		f 2.23		59			130.1	DIKE	26.4	W.		f 12.05 AM		8.43		
	2.35		f 2.48		59			138.5	LOCKIT	18.0			f 11.39		8.10		
	3.05		f 3.08		61			144.9	KLOAN	11.6	W.		f 11.19		7.45		
	3.30		f 3.25		60	9		150.8	MOODY	5.7			f 11.01		7.22		
	3.40		f 3.35					154.1	CELLO No Siding	2.4			f 10.53		7.10		
	3.50		3.39					155.6	CELLO WYE	0.9			10.49		7.05		
	A 4.00 PM		A 3.45 AM		Yard		DN	156.5	FALLBRIDGE BC	0.0	W. C. T. Y. O.		L 10.45 PM	L 7.00 AM			
311	309	81	103	35									36	102	308	310	82
Daily Ex. Monday	Tuesday Thursday Saturday	Sunday Wednesday Friday	Daily	Daily									Daily	Daily	Monday Wednesday Friday	Daily Ex. Sunday	Tuesday Thursday Saturday
3.00 13.8	9.00 12.8	.35 17.3	7.45 20.2	1.35 32.7									2.15 23.0	8.50 18.3	9.00 12.8	3.00 13.8	0.45 13.8

SPECIAL RULES

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS

SPECIAL RULES

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS

- No. 1 Special rules supersede rules and regulations of transportation department.
- No. 2 Trains will date from time due to leave Initial Stations.
- No. 3 When an order is put out to a train at a station directing them to meet an opposing train at that station, and the order contains the clause: "_____gets this order at meeting point," the train receiving the order at the meeting point will hold the main track, and the other train must take the siding.

No. 4 REGISTERING STATIONS:

Fallbridge, North Junction, South Junction, Metolius, Bend.

No. 5 STANDARD CLOCKS AND BULLETIN BOARDS:

Fallbridge, Metolius, Bend.

No. 6 YARDS:

Fallbridge, Metolius, Bend.

No. 7 DERAIL SWITCHES:

- Sherar..... 200 feet from headblock of switch at west end passing track.
- Maupin..... 200 feet from headblock of switch at west end industry track.
- Cambrai..... 200 feet from headblock of switch at west end passing track.
- Vanora..... 200 feet from headblock of switch at west end industry track.
- Pelton..... 200 feet from headblock of switch at west end industry track.
- Pelton..... 250 feet from headblock of switch at west end passing track.
- Madras..... 200 feet from headblock of switch at west end house track.
- Madras..... 200 feet from headblock of switch at west end industry track.
- Madras..... 200 feet from headblock of switch of Standard Oil spur.
- Metolius..... 200 feet from headblock of switch at west end drill track.
- Prineville Connection. 200 feet east of head block.
- Redmond... 200 feet from headblock of switch at each end wareh'se track.
- Bend..... 200 feet from head block of switch at west end of passing track.
- Bend..... 200 feet from headblock of switch at west end wareh'se track.
- Bend..... 1000 feet from headblock of switch of mill spur.
- Bend..... 200 feet from headblock of switch of Standard Oil spur.
- Bend..... 200 feet from headblock of switch at west end of Stock Yard Siding

No. 8 SPEED RESTRICTIONS

Maximum speed of passenger trains at any point must not exceed 40 miles per hour and freight trains must not exceed 30 miles per hour. Speed of all trains should be kept under such control as to enable engineers to stop within range of their vision. This so as to avoid trouble liable to occur from slides and washouts.

- No. 9 All eastward trains will come to a full stop between 200 feet and 400 feet from North Junction, and know the way is clear before proceeding.
- No. 10 All westward trains will come to a full stop between 200 and 400 feet from South Junction, and know the way is clear before proceeding.

- No. 11 Trains will not exceed a speed of twenty miles per hour over Crooked River Bridge, 4.2 miles east of Opal City.
- No. 12 Junction switches with O.-W. R. & N. Co. at North Junction and South Junction will be set and locked for the Oregon Trunk Railway. At Metolius junction switch will be set for Oregon Trunk Ry.
- No. 13 Junction switch on Celilo Bridge will be set and locked for east leg of "Y." The east and west switches of wye will be set and locked for the wye.
- No. 14 Nos. 103 and 102 will stop on flag at Irvine's Ranch, three-quarters of a mile north of Coleman.
- No. 15 All trainmen and others interested are hereby warned that the majority of cattle guards on Oregon Trunk Railway are closer to tracks than the required standard of the Public Service Commission of Oregon.
- No. 16 Sign reading "Impaired Clearance" placed on switch stand at entrance of spur or siding indicates that there are platforms or structures located alongside same which do not provide minimum horizontal clearance, prescribed by Public Service Commission of Oregon. Employees will use care and avoid risk of injury while working on spurs or sidings protected with "Impaired Clearance" sign.

Draw Bridges

- No. 17 Draw bridge located over Celilo Canal, mile post 1.4 East of Fallbridge.

No. 18 CLEARANCE TABLE

	Height above Top of Rail.										
	1 ft. Wide	2 ft. Wide	3 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide	8 ft. Wide	9 ft. Wide	10 ft. Wide	11 ft. Wide
Oregon Trunk Ry...	21'	21'	21'	21'	21'	21'	21'	20'6"	19'10"	19'5"	18'9"

Conductors must be absolutely positive that loads do not exceed these dimensions, and must not move cars of greater dimensions without instructions from Superintendent.

CAPACITY OF ENGINES IN ADDITION TO WEIGHT OF ENGINES, TENDERS AND CABOSES

	Ruling Grade	CLASS OF ENGINE					
		C 1 600 to 609	D 1 100 to 109	F 1 Non- Superheat 450 to 464	F 1 S Superheat 450 to 464	N 1 350 to 352	N 2 355 to 364
Fallbridge to Mecca.....	.6	691	1100	1095	1164	883	1200
Mecca to Metolius.....	1.3	505	800	800	879	673	950
Metolius to Bend.....	1 0	660	1181	1100	1114	848	1200
Bend to Metolius.....	.5	1078	1791	1764	1764	1329	2009
Metolius to Fallbridge..	.0	2818	4468	4424	4424	3308	4600

COMPANY'S SURGEONS

- Dr. E. B. McDaniel, Chief Surgeon... Portland
- Dr. J. F. Hosch, Local Surgeon... Redmond
- Dr. R. W. Hendershott, Local Surgeon... Bend
- Dr. W. F. Shorts, Local Surgeon... Fallbridge

Surgeons will attend, when called upon officially, to all cases of accident occurring to employes or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Hospital Fund will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Hospital Fund after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at hospitals with which the Company has made arrangements. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

STRETCHERS

ARE LOCATED AT FOLLOWING POINTS:

- Fallbridge..... Station
- Maupin..... Station
- Metolius..... Station
- Bend..... Station

LOCATION AND LENGTH OF TUNNELS

No.	LOCATION	Length
1	1.4 Miles West of Moody.....	782 feet
2	3.4 Miles West of Sherar.....	800 feet
3	0.4 Miles West of Frieda.....	519 feet
4	0.6 Miles East of North Junction.....	543 feet
5	1.6 Miles East of Mecca.....	453 feet
6	2.1 Miles West of Madras.....	490 feet
7	2.0 Miles West of Madras.....	480 feet

JUNCTIONS

NAME	Miles from Fallbridge	Switch at
Spokane, Portland & Seattle Ry...	0.0	
Ore.-Wash. Ry. & Nav. Co.....	1.5	
Ore.-Wash. Ry. & Nav. Co.....	75.4	
Ore.-Wash. Ry. & Nav. Co.....	85.8	
Ore.-Wash. Ry. & Nav. Co.....	115.2	
Prineville City Railway.....	137.3	

WATCH INSPECTORS

- A. L. Haman, Chief Time Inspector... St. Paul, Minn.
- M. H. Symons..... Bend, Ore.

F. X. ADAMS, Dispatcher
L. S. NELSON, Dispatcher
L. H. JAMES, Dispatcher
E. B. ARTHUR, Dispatcher

R. E. WHITE, Chief Dispatcher
J. Z. STANSBERRY, Trainmaster

