OREGON TRUNK RAILWAY

Je Just Just

TIME TABLE No. 35

TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M. PACIFIC TIME

SUNDAY, JULY 29, 1923

SUPERSEDING TIME TABLE NO. 34 AND ALL SUPPLEMENTS THERETO THIS TIME TABLE IS FOR THE USE OF EMPLOYES ONLY

2 WESTWARD EASTWARD																		
THIRD CLASS		CLASS		SECOND CLASS	FIRS	T CLASS	Car Ca	pacity	ions	п	TIME TABLE No. 35	в	Wyes, Turn nd Scales	FIRST CLASS	SECOND CLASS		THIRD	CLASS
	309	318	311	103		29	ş	8	Stati	tance from Bend	11112 111022 110.00	e froi idge	Wyes id Sci	30	102	308	314	810
	Oregon Trunk Local Freight	OW. R. & N. Local Freight	Oregon Trunk OW. R. & N. Local Freight	Oregon Tru Mixed	ık	O,-W. R. & N. Passenger	g Tra	Tra	graph	Ber	IN EFFECT JULY 25, 1923	Distance from Fallbridge	oil,	OW. R. & N. Passenger	Oregon Trunk Mixed	Oregon Trunk Local Freight	OW.R. & N. Local Freight	Oregon Trunk OW. R. & N. Local Freight
	Leave Tuesday Thursday Saturday	Leave Tuesday Thursday Saturday	Leave Daily Ex. Monday	Leave Daily		Leave Daily	Passin	other	Telegi	A	STATIONS	Α .	Water, Oil, Tables at	Arrive Daily	Arrive Daily	Arrive Monday Wednesday Friday	Arrive Monday Wednesday Friday	Arrive Daily Ex. Sunday
		Н.	3.30 AM	7.001	м	7.00 AM	Yard		D	0.0	BEND ND	156.5	W Y 0	s 7.30 PM	s 8.25 AM			2.00 AM
		-	4.05	f 7.14		s 7.15	59			7.4	7,4 DESCHUTES	149.1		s 7.14	f 8.02			1.25
			4.50	1 7.34		s 7.35	59	59	D	16.5	REDMONDRD	140.0	w	s 6.44	s 7.35			12.45
			5.02	s 7.40		s 7.40		18	D	19.2	PRINEVILLE JUNCTIONXN	137.3		s 6.36	s 7.26			12.35
			5.15	\$ 7.46	1	s 7.46	59			22.0	TERREBONNE	134.5		s 6.28	1 7.17			- 12.25 AM
			5.50	f 8.03		f 8.01	59	27	P	29.5	7.5 — OPAL CITY	127.0	w	f 6.11	1 6.50			11.50
			6,26	s 8.18		s 8.16	59	45		36.6	7.1 ————————————————————————————————————	119.9		s 5.56	s 6.26			11.20
	8.30 AM		6.55 AM	s 8.30		s 8.25 AM	Yard		DN	41,3	4.7 — METOLIUSMS	115.2	T.W.C.	s 5.45 PM	* 6.10	4.00 PM		11.00 PM
	8.55			s 8.45			58	74		45,5	4.2 —	111.0			s 5.50	3.30		
	9.30			f 9.07		=	59	9		51,6	PELTOF	104.9	W.	4	1 5.17	2.50		
	10.00			f 9.23	1			33		55,8	VANORA.	100.7		2	1 4.57	2.20		
	10.30			9.40	+	- 3	69	25		60.7	MECCA	95.8	w.		• 4.34	1.50		
	11.10			f 10.02	+-	- \$		26		67.7	7.0 COLEMAN	88.8			f 4.14	1.20		
	11.30	8.15 AM		\$ 10.10		s 9.20 AM	_	-	P	70,7	SOUTH JUNCTION	85,8	-	s 4.20 PM	s 4.05	1.05	2.00 PM	
_	11.40	8.22		f 10.15		8 9.20 AM	_	-	i	72.5		84.0	w.	3 4.20 FM	1 4.00	12.55	1.52	
	11.59	8.34		f 10.26		(0.01	59	-	_	76.2	3.7 — KASKELA	80-3	-	1 4.07	f 3.50	12.40	1.35	
	12.20 PM	8.50 AM		s 10.40	-	f 9.31	_	_	D	81.1	4.9	75.4	-	3.55 PM	s 3.37	12.15	1.15 PM	
	12.30	0.00 Am				s 9.40 AM	59	-	-	82,9	NORTH JUNCTIONJN	73.6	w.	3,33 FM	f 3.32	12.10 PM	1.101m	
	1.00			f 10.45			- 59	-	-	89.0	NATHAN 6.1 FRIEDA	67.5	-		1 3.15	11.40		
	1.20			f 11.03 f 11.14			59	-	-	92.7	3.7 ———	63.8	w.		f 3.05	11.25		
	2.00			11.38			59	-	-		NENA	55.4			2.42	10.50		
	2.05								_	101.1	CAMBRAI				s 2.40	10.40		
	2.20			s 11.40		-	-	21	D		MAUPIN AU	50.8				10.25		
				1 11.52				25	-	105.7			_		1 2.28			
	2.30			f 11.59			58	-	-	108,8	SHERAR	47.7			f 2.20	10.10		
	2.55			f 12.30			58	-		116,6	OAKBROOK	39.9			f 1.58	9.35		
	3.30			f 1.05		_	59	-	P	125,9	SINAMOX	30.6	-		f 1.32	9.01		
	3.45			f 1.22			59	-	-	130,1	DIKE	26.4			f 1.22	8.45		
	4.10			f 1.45				9	-	188,5	LOCKIT 6.4	18.0			f 1.02	8.10		
	4.35			f 2.02			61	-		144.9	KLOAN	11.6	_		f 12.47	7.45		
	4 59			f 2.17			60	7	_	150,8	MOODY 3.3	5.7	_		f 12.35	7.20		,
	5.10			1 2.25			_			154-1	CELILO No Siding		_		f 12.27	7.10		
	5.20			2.29						155.6	CELILO WYE	0.9			12.24	7.05		
	5.30 PM			s 2.35	M.		Yard		DN	156,5	FALLBRIDGEBC	0.0	W. C. T. Y. O.		12.20 AM	7.00 AM		
	Arrive Tuesday Thursday Saturday	Arrive Tuesday Thursday Saturday	Arrive Daily Ex. Monday	Arrive Daily		Arrive Daily								Leave Daily	Leave Daily	Leave Monday Wednesday Friday	Leave Monday Wednesday Friday	Leave Daily Ex. Sunday
	9.00 12.8	.35 17,3	3·25 12.1	7·35 20·6		1.45 29.5	Г				Time Over District, Average Speed Per Hour,			2.10 23.9	8·05 19·4	9.00 12.8	0.45 13.8	3.00

SPECIAL RULES

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS

Derail in main line 400 feet east of west passing track switch at Bend is open except when thrown for trains to pass.

SPECIAL RULES

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS

- No. 1 Special rules supersede rules and regulations of transportation department.
- No. 2 Trains will date from time due to leave Initial Stations.
- No. 3 When an order is put out to a train at a station directing them to meet an opposing train at that station, and the order contains the clause:

 "——gets this order at meeting point," the train receiving the order at the meeting point will hold the main track, and the other train must take the siding.
- No. 4 REGISTERING STATIONS:
 - Fallbridge, North Junction, South Junction, Metolius, Bend.
- No. 5 STANDARD CLOCKS AND BULLETIN BOARDS:
- Fallbridge, Metolius, Bend.
 No. 6
- Fallbridge: Yard limit board located 2000 ft. east of O.-W. R. & N. connection at Celilo.
 - Metolius: West yard limit board 2600 ft. west of west yard switch; east yard limit board 5830 ft. east of east yard switch.
- Bend: West yard limit board 1989 ft. west of west passing track switch.

 No. 7

 DERAIL SWITCHES:
 - Sherar.....200 feet from headblock of switch at west end passing track.

 Maupin....200 feet from headblock of switch at west end industry track.

 Cambrai...200 feet from headblock of switch at west end passing track.

 Vanora....200 feet from headblock of switch at west end industry track.
 - Pelton.....200 feet from headblock of switch at west end industry track.

 Pelton.....250 feet from headblock of switch at west end passing track.
 - Madras....200 feet from headblock of switch at west end house track.

 Madras....200 feet from headblock of switch at west end industry track.
 - Madras....200 feet from headblock of switch of Standard Oil spur. Metolius....200 feet from headblock of switch at west end drill track.
 - Prineville Connection.. 200 feet east of head block.

 Redmond... 200 feet from headblock of switch at each end wareh'se track.
 - Bend In main line 200 feet east of west passing track switch.

 Bend 200 feet from head block of switch at west end of passing
 - Bend.....200 feet from headblock of switch at west end wareh'se track.
 - Bend.....1000 feet from headblock of switch of mill spur.
 - Bend......200 feet from headblock of switch of Standard Oil spur.

 Bend......200 feet from headblock of switch at west end of Stock Yard
 Siding

No. 8 SPEED RESTRICTIONS

Maximum speed of passenger trains at any point must not exceed 35 miles per hour and freight trains must not exceed 25 miles per hour. Speed of all trains should be kept under such control as to enable engineers to stop within range of their vision. This so as to avoid trouble liable to occur from slides and washouts.

REDUCED SPEED ON CURVES

Shoofly Curves at mile post 91.2

Following is location of curves of 8° or over. All trains must reduce speed on them to 15 miles per hour.

Curve 3000 feet east mile post 23. 10° at mile post 24.1 27.0 30.4 10° 61.9 12° 30" 67.8 " " 77.8 " 78.0 u u u

- No. 10 Trains will not exceed a speed of twenty miles per hour over Crooked River Bridge, 4.2 miles east of Opal City.
- No. 11 Junction switches with O.-W. R. & N. Co. at North Junction and South Junction will be set and locked for the Oregon Trunk Railway. At Metolius junction switch will be set for Oregon Trunk Ry.
- No. 12 Junction switch on Celilo Bridge will be set and locked for east leg of "Y." The east and west switches of wye will be set and locked for the wve.
- No. 13 Nos. 103 and 102 will stop on flag at Irvine's Ranch, three-quarters of a mile north of Coleman.
- No. 14 All trainmen and others interested are hereby warned that the majority of cattle guards on Oregon Trunk Railway are closer to tracks than the required standard of the Public Service Commission of Oregon.
- No. 15 Sign reading "Impaired Clearance" placed on switch stand at entrance of spur or siding indicates that there are platforms or structures located alongside same which do not provide minimum horizontal clearance, prescribed by Public Service Commission of Oregon. Employes will use care and avoid risk of injury while working on spurs or sidings protected with "Impaired Clearance" sign.
- No. 16 All eastward trains will come to a full stop between 200 feet and 400 feet from North Junction, and know the way is clear before proceeding.
- No. 17 All westward trains will come to a full stop between 200 and 400 feet from South Junction, and know the way is clear before proceeding.

Draw Bridges

No. 18 Draw bridge located over Celilo Canal, mile post 1.4 East of Fallbridge.

No. 19

CLEARANCE TABLE

				\mathbf{H}	eight a	bove '	Top of	Rail.			
	1 ft. Wide	2 ft. Wide	3 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide	8 ft. Wide	9 ft. Wide	10 ft. Wide	11 ft. Wide
Oregon Trunk Ry	21'	21'	21'	21'	21'	21'	21'	20'6"	19'10"	19'5"	18'9"

Conductors must be absolutely positive that loads do not exceed these dimensions, and must not move cars of greater dimensions without instructions from Superintendent

CAPACITY OF ENGINES IN ADDITION TO WEIGHT OF ENGINES, TENDERS AND CABOOSES

	rade	CLASS OF ENGINE												
	Ruling Grade	C 1 600 to 609	D 1 100 to 109	F 1 S Superheat 450 to 464	N 1 350 to 352	N 2 355 to 364								
Fallbridge to Mecca	.6	691	1100	1164	883	1200								
Mecca to Metolius	1.3	505	800	879	673	950								
Metolius to Bend	1.0	660	1181	1114	848	1200								
Bend to Metolius	.5	1078	1791	1764	1329	2009								
Metolius to Fallbridge	.0	2818	4468	4424	3308	4600								

COMPANY'S SURGEONS

Dr. E. B. McDaniel, Chief Surgeon....Portland Dr. J. F. Hosch, Local Surgeon.....Redmond Dr. R. W. Hendershott, Local Surgeon.....Bend Dr. W. F. Shorts, Local Surgeon.....Fallbridge

Surgeons will attend, when called upon officially, to all cases of accident occurring to employes or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Hospital Fund will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Hospital Fund after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at hospitals with which the Company has made arrangements. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

STRETCHERS ARE LOCATED AT FOLLOWING POINTS:

													.Station
Maupin													.Station
Metolius													.Station

LOCATION AND LENGTH OF TUNNELS

No.	LOCATION	Length
1	1.4 Miles West of Moody	782 feet
1 2 3 4 5 6 7	3.4 Miles West of Sherar	800 feet
3	0.4 Miles West of Frieda	519 feet
4	0.6 Miles East of North Junction	584 feet
5	1.6 Miles East of Mecca	453 feet
6	2.1 Miles West of Madras	490 feet
7	2.0 Miles West of Madras	480 feet

JUNCTIONS

om Sv	witch at
)	
:	
	.2

WATCH INSPECTORS

A. L. Haman, Chief Time Inspector....St. Paul, Minn. M. H. Symons......Bend, Ore.

L. H. JAMES, Dispatcher

No. 9

- L. S. NELSON, Dispatcher
- E. B. ARTHUR, Dispatcher
- R. E. WHITE, Dispatcher

- S. A. GAGNON, Night Chief Dispatcher
- R. C. SCOFFERN, Chief Dispatcher
- J. E. CHARLAND, Trainmaster

ij., .