OREGON TRUNK RAILWAY

TIME TABLE No. 41

TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M. PACIFIC TIME

SUNDAY, FEBRUARY 21, 1926

SUPERSEDING TIME TABLE NO. 40 AND ALL SUPPLEMENTS THERETO THIS TIME TABLE IS FOR THE USE OF EMPLOYES ONLY

2			WE	STWARD														EASTV	VARD			
THIRD CLASS		CLASS SECOND CLASS				RST CLA	ss	Car Ca	pacity	•no	_	TIME TABLE No. 41		Turn	FIRST CLASS			SECONI	D CLASS	THIRD CLASS		
309	318	311				103	29		2	Stati	fron	TIME TABLE No. 41	fron	Wyes, Turnd Scales	102	30				308	314	310
regon Trunk ocal Freight	OW. R. & N.	Oregon Trunk OW. R. & N. Local Freight		N AL	0	regon Trunk Mixed	O.·W. R. & N. Passenger	g Trac	er Trac	dda	istance from Bend	IN EFFECT FEBRUARY, 21, 1926	istance from Fallbridge	Tables and	Oregon Trunk O Mixed	OW. R. & N. Mixed	Z			Oregon Trunk Local Freight		
Leave Wednesday Friday Sunday	Leave Wednesday Friday Sunday	Leave Daily Ex. Monday		E 12 16		Leave Daily	Leave Daily	Passin	Othe	Telegr	Ā	STATIONS	Д	Water	Arrive Daily	Arrive Daily	H	8 44		Arrive Tuesday Thursday Saturday	Arrive Tuesday Thursday Saturday	Arrive Daily Rx. Monda
	1	2.30 AM		1	1	7.30 PM	7.00 AM	Yard		D	0.0		151.5	WYO	s 7,00 AM	s 7.30 PM						12.15
		3.00			f	7.45	s 7.16	59			7.4	PDESCHUTES	144.1		f 6.37	7.12						11.40
		3.45			1	8.06	s 7.35	59	59	D	16.5		135.0	w	s 6.11	s 6.50						11.00
		3.55			s	8.11	s 7.41		18	D	19.2	TATAL TANDES OUT CAROLI	N 132.3		s 6.03	s 6.42						10.50
		4.05			s	8.17	s 7.45	59			22.0		. 129.5		f 5.55	s 6.35					Date of	10.35
		4.35	h		f	8.34	f 8.01	59	27		29.5	A	122.0	w	f 5.33	f 6.17		a > A				10.05
		5.13				8.49	s 8.15	59	45	D	36.6		114.9		s 5.13	s 6.00	1 8	THE P				9.35
8.35 AM		5.45 AM	7-1			9.00 PM	s 8.25 AM	Yard		DN	41,3	METOLIUSMS	S 110-2	T.W.C.		5.50 PM		1444		4.00 PM		9.15
			BET	WEEN SOL	UTH J	UNCTIO	N AND N	/ETC	LIUS	TR	AINS	WILL BE GOVERNED BY	ow.	R. &	N. CO. TI	ME TABLE	AN	D RULES	S			
11.30 AM	10.30 AM			- 1	s	10.20 PM	s 9.20 AM	ī			65.7		85,8		s 3.15 AM	s 4.05 PM	1 10	1		1.05 PM	2.00 PM	
11.40	10.37				f	10.24	f 9.23				67.5		84.0	w.	f 3.11	f 3.58				12.55	1.52	
11.59	10.52				f	10.35	f 9.30	59			71.2		80-3		f 3.02	1 3.45				12.40	1.35	
12.20 PM	11.10 AM				s	10.48	s 9.40 AM			D	76.1		N 75.4		s 2.52	3.30 PM				12.15	1.15 PM	
12.30					f	10.53		59			77.9		73.6	w.	f 2.47					12.10 PM		
1.00					f	11.10					84.0		67.5		f 2.33					11.40		
1.20					f	11.20		59			87.7		63.8	w.	f 2.25					11.25		
2.00						11.45		59			96.1		55.4		2.05					10.50		
2.05					5	11.48	20015	10	21	D	96.8		U 54.7	100	s 2.03	TOT				10.40		
2.20	71		-		f	11.59			25		100.7		50.8	w.	f 1.54					10.25		
2.30					f	12.10 AM		58			103.8		47.7		f 1.47					10.10		
2.55					f	12.35		58			111.6		39.9	w.	f 1.27					9.35		
3.30						1.05		59			120.9		30.6		f 1.05					9.01		
3.45					f	1.16		59			125.1		26.4	w.	f 12.55					8.45		1
4.10					f	1.40			9		133.5		g 18.0		f 12.35					8.10		
4.35					f	1.59		61			139.9		11.6		f 12.20					7.45		1
4.59					f	2.17		60	7		145.8		5.7		f 12.06 AM					7.20		1
5.10	- 6	The spine		N 100	f	2.25	100	7 18			149.1		2.4		f 11.57	7 LA			68 6	7.10		
5.20		To The				2.29	70				150-6	CELILO WYE	0.9		11.54			1 114		7.05		
5.30 PM	16.	J 190			s	2.35 AM		Yard		DN	151.5	0.9 FALLBRIDGEB	C 0.0	W. C. T	11.50 PM	4			B YL	7.00 AM		
Arrive Wednesday Friday Sunday	Arrive Wednesday Friday Sunday	Arrive Daily Ex. Monday				Arrive Daily	Arrive Daily								Leave Daily	Leave Daily				Leave Tuesday Thursday Saturday	Leave Tuesday Thursday Saturday	Leave Daily Ex. Sunda
8.55 12.3	.40 15,6	3.15 12.7				7.05 21.1	2.40 19.4					Time Over District, Average Speed Per Hour.			7·10 21·1	4.00 19.0				9.00 12.8	0.45 13.8	3.00 13.8

SPECIAL RULES

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS

Derail in main line 400 feet east of west passing track switch at Bend is open except when thrown for trains to pass.

SPECIAL RULES

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS

- No. 1 Special rules supersede rules and regulations of transportation depart-
- No. 2 Trains will date from time due to leave Initial Stations.
- No. 3 When an order is put out to a train at a station directing them to meet an opposing train at that station, and the order contains the clause: -gets this order at meeting point," the train receiving the order at the meeting point will hold the main track, and the other train must take the siding.

REGISTERING STATIONS: No. 4

Fallbridge, North Junction, South Junction, Metolius, Bend.

STANDARD CLOCKS AND BULLETIN BOARDS: No. 5

Fallbridge, Metolius, Bend.

No. 6 YARDS:

Fallbridge: Yard limit board located 2000 ft. east of O.-W. R. & N. connection at Celilo.

Metolius: West yard limit board 2600 ft. west of west yard switch on O.-W. R. & N.; east yard limit board 5830 ft. east of east yard switch. Bend: West yard limit board 1989 ft. west of west passing track switch.

DERAIL SWITCHES: No. 7

Sherar.....200 feet from headblock of switch at west end passing track. Maupin 200 feet from headblock of switch at west end industry track. Cambrai . . . 200 feet from headblock of switch at west end passing track.

Metolius....200 feet from headblock of switch at west end drill track. Prineville Connection. . 200 feet east of head block.

Redmond...200 feet from headblock of switch at each end wareh'se track. Bend In main line 200 feet east of west passing track switch.

Bend 200 feet from head block of switch at west end of passing track

Bend.....200 feet from headblock of switch at west end wareh'se track. Bend.....1000 feet from headblock of switch of mill spur.

Bend..... 200 feet from headblock of switch of Standard Oil spur. Bend..... 200 feet from headblock of switch at west end of Stock Yard

Siding

No. 8

SPEED RESTRICTIONS

Maximum speed of passenger trains at any point must not exceed 35 miles per hour. Freight trains must not exceed 15 miles per hour between Fallbridge and South Junction and 25 miles per hour between Metolius and Bend. Work trains handling work equipment only may run not to exceed 25 miles per hour between Fallbridge and South Jct. Speed of all trains should be kept under such control as to enable engineers to stop within range of their vision. This so as to avoid trouble liable to occur from slides and washouts.

No. 9 REDUCED SPEED ON CURVES

Following is location of curves of 8° or over. All trains must reduce speed on them to 15 miles per hour.

Curve 3000 feet east mile post 23.

10° at mile post 24.1 27.0 30.4 10° 61.9 " " 12° 30" 67.8 " " " 77.8 " "

- No. 10 Trains will not exceed a speed of twenty miles per hour over Crooked River Bridge, 4.2 miles east of Opal City.
- No. 11 Junction switch with O.-W. R. & N. Co. at North Junction will be set and locked for the Oregon Trunk Railway.
- No. 12 Junction switch on Celilo Bridge will be set and locked for east leg of "Y." The east and west switches of wye will be set and locked for the
- No. 13 All trainmen and others interested are hereby warned that the majority of cattle guards on Oregon Trunk Railway are closer to tracks than the required standard of the Public Service Commission of Oregon.
- No. 14 Sign reading "Impaired Clearance" placed on switch stand at entrance of spur or siding indicates that there are platforms or structures located alongside same which do not provide minimum horizontal clearance, prescribed by Public Service Commission of Oregon. Employes will use care and avoid risk of injury while working on spurs or sidings protected with "Impaired Clearance" sign.
- No. 15 All eastward trains will come to a full stop between 200 feet and 400 feet from North Junction, and know the way is clear before proceeding.

Draw Bridges

No. 16 Draw bridge located over Celilo Canal, mile post 1.4 East of Fallbridge.

No. 17

CLEARANCE TABLE

		Height above Top of Rail.														
	1 ft. Wide	2 ft. Wide	3 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide	8 ft. Wide	9 ft. Wide	10 ft. Wide	11 ft. Wide					
Oregon Trunk Ry	21'	21'	21'	21'	21'	21'	21'	20'6"	19'10"	19'5"	18'9"					

Conductors must be absolutely positive that loads do not exceed these dimensions, and must not move cars of greater dimensions without instructions from Superintendent.

CAPACITY OF ENGINES IN ADDITION TO WEIGHT OF ENGINES, TENDERS AND CABOOSES

	rade	CLASS OF ENGINE													
	Ruling G	C 1 600 to 609	D 1 100 to 109	N 1 350 to 352	N 2 355 to 365 N 7 335 to 337	N 4 303 & 305 N 5 315	N 6 325 & 326 F 1 S 450 to 464								
Fallbridge to South Jct South Jct. to Metolius	.6 1.5	691 505	1100 650	883 673	1200 732	1003 610	1164 700								
Metolius to Bend	1.0	660	900	848	1200	805	1114								
Bend to Metolius	.5	1078	1800	1329	2100	1612	2200								
Metolius to Fallbridge	.0	2818	4468	3308	4600	4200	4500								

COMPANY'S SURGEONS

Dr. E. B. McDaniel, Chief Surgeon....Portland Dr. David E. Baird, Local Surgeon... Redmond Dr. R. W. Hendershott, Local Surgeon....Bend Dr. W. F. Shorts, Local Surgeon Fallbridge

Surgeons will attend, when called upon officially, to all cases of accident occurring to employes or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Hospital Fund will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Hospital Fund after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at hospitals with which the Company has made arrangements. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

STRETCHERS ARE LOCATED AT FOLLOWING POINTS:

Fallbridge															Station
Maupin															Station
Metolius.															Station
Bend															

LOCATION AND LENGTH OF TUNNELS

No.	LOCATION	Length
1	1.4 Miles West of Moody	782 feet
2	3.4 Miles West of Sherar	800 feet
3	0.4 Miles West of Frieda	519 feet
4	0.6 Miles East of North Junction	584 feet

JUNCTIONS

NAME	Miles from Fallbridge	Switch at
Spokane, Portland & Seattle Ry		
OreWash. Ry. & Nav. Co	1.5	
OreWash. Ry. & Nav. Co	75.4	
OreWash. Ry. & Nav. Co		
OreWash. Ry. & Nav. Co		
Prineville City Railway	137.3	

WATCH INSPECTORS

A. L. Haman, Chief Time Inspector....St. Paul, Minn. M. H. Symons.....Bend, Ore.

L. H. JAMES, Dispatcher

L. S. NELSON, Dispatcher F. X. ADAMS, Dispatcher

R. E. WHITE, Dispatcher

E. B. ARTHUR, Ass't Chief Dispatcher S. A. GAGNON, Ass't Chief Dispatcher R. C. SCOFFERN, Chief Dispatcher J. E. CHARLAND, Trainmaster

And the second process of the second process		
A CONTROL OF THE PROPERTY OF T		
	A CONTRACT OF THE PARTY OF THE	

The Arthurst State Color State Color of the color of the

Calabarati MAAL, H. J. Calabarati Maala J. J. Calabarati Maala J. J.