

OREGON TRUNK RAILWAY

TIME TABLE No. 42

Not distributed

TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M.
PACIFIC TIME

SUNDAY, MAY 9, 1926

SUPERSEDING TIME TABLE NO. 41 AND ALL SUPPLEMENTS THERETO
THIS TIME TABLE IS FOR THE USE OF EMPLOYEES ONLY

G. E. VOTAW, Superintendent

E. E. LILLIE, Supt. Car Service

A. J. DAVIDSON, General Manager

WESTWARD

EASTWARD

THIRD CLASS			Second Class	FIRST CLASS				Car Capacity		Telegraph Stations	Distance from Bend	TIME TABLE No. 42		Distance from Fallbridge	Water, Oil, Wyes, Turn Tables and Scales	FIRST CLASS			SECOND CLASS		THIRD CLASS		
309	318	311		29	105	103	27	Passing Tracks	Other Tracks			IN EFFECT MAY 9, 1926				102	30				308	314	310
Oregon Trunk Local Freight	O.-W. R. & N. Local Freight	Oregon Trunk O.-W. R. & N. Local Freight		O. W. R. & N. Passenger	Oregon Trunk Passenger	Oregon Trunk Mixed	O.-W. R. & N. Mixed					Oregon Trunk Local Freight	O.-W. R. & N. Local Freight			Oregon Trunk Local Freight	O.-W. R. & N. Local Freight	Oregon Trunk Local Freight	O.-W. R. & N. Local Freight	Oregon Trunk Local Freight	O.-W. R. & N. Local Freight	Oregon Trunk Local Freight	O.-W. R. & N. Local Freight
Leave Wednesday Friday Sunday	Leave Wednesday Friday Sunday	Leave Daily Ex. Monday		Leave Daily Ex. Sat.	Leave Daily Ex. Sat.	Leave Saturday Only	Leave Saturday Only					STATIONS		Arrive Daily	Arrive Daily			Arrive Tuesday Thursday Saturday	Arrive Tuesday Thursday Saturday	Arrive Daily Ex. Monday			
		2.30 AM		9.30 PM	9.15 PM	7.30 PM	7.00 PM	Yard		D	0.0	BEND ND	151.5	W.Y.O.	7.00 AM	7.15 AM							12.15 AM
		3.00		9.45	9.30	7.47	7.20	59			7.4	DESCHUTES	144.1		6.37	6.53							11.50
		3.45		10.03	9.49	8.08	7.45	59	59	D	16.5	REDMOND RD	135.0	W	6.11	6.27							11.17
		3.55		10.08	9.54	8.15	7.52		18	D	19.2	PRINEVILLE JUNCTION XN	132.3		6.03	6.20							11.08
		4.05		10.15	10.01	8.22	7.59	59			22.0	TERREBONNE	129.5		5.55	6.10							10.59
		4.35		10.31	10.16	8.40	8.20	59	27		29.5	OPAL CITY	122.0	W	5.33	5.50							10.31 29 10.16 105
		5.13 102 5.29 30		10.45	10.30	8.55	8.37	59	45	D	36.6	CULVER CU	114.9		5.13	5.29							9.40
9.00 AM		6.00 AM		10.55 PM	10.40 PM	9.05 PM	8.50 PM	Yard		DN	41.3	METOLIUS MS	110.2	T.W.C.	5.00 AM	5.15 AM				4.00 PM			9.15 PM

BETWEEN SOUTH JUNCTION AND METOLIUS TRAINS WILL BE GOVERNED BY O.-W. R. & N. CO. TIME TABLE AND RULES

11.30 AM	10.30 AM			11.50 PM	11.35 PM	10.25 PM	10.10 PM				65.7	P	SOUTH JUNCTION		85.8		3.15 AM	3.55 AM					1.05 PM	2.00 PM
11.40	10.37			11.55	11.39	10.30	10.15				67.5		JERSEY		84.0		3.11	3.51					12.55	1.52
11.59	10.52			12.01 AM	11.46	10.40	10.24	59	32		71.2		KASKELA		80.3		3.02	3.42					12.40	1.35
12.20 PM	11.10 AM			12.10 AM	11.55	10.53	10.35 PM			D	76.1		NORTH JUNCTION	JN	75.4		2.52	3.30 AM					12.15	1.15 PM
12.30				12.01 AM	10.58			59			77.9		NATHAN		73.6	W	2.47						12.10 PM	
1.00				12.17	11.14						84.0		FRIEDA		67.5		2.33						11.40	
1.20				12.27	11.23			59			87.7	P	NENA		63.8	W	2.25						11.25	
2.00				12.49	11.46			59			96.1		CAMBRAI		55.4		2.05						10.50	
2.05				12.52	11.48				21	D	96.8		MAUPIN	AU	54.7		2.03						10.40	
2.20				1.02	11.59				25		100.7		TUSKAN		50.8	W	1.54						10.25	
2.30				1.10	12.10 AM			58			103.8	P	SHERAR		47.7		1.47						10.10	
2.55				1.30	12.35			58			111.6	P	OAKBROOK		39.9	W	1.30						9.35	
3.30				1.57	1.05			59			120.9		SINAMOX		30.6		1.05						9.01	
3.45				2.08	1.16			59			125.1	P	DIKE		26.4	W	12.55						8.45	
4.10				2.32	1.40				9		133.5		LOCKIT	No Siding	18.0		12.35						8.10	
4.35				2.50	1.59			61			139.9		KLOAN		11.6		12.20						7.45	
4.59				3.05	2.17			60	7		145.8		MOODY		5.7		12.06 AM						7.20	
5.10				3.12	2.25						149.1		CELILO	No Siding	2.4		11.57						7.10	
5.20				3.16	2.29						150.6		CELILO WYE		0.9		11.54						7.05	
5.30 PM				3.20 PM	2.35 AM			Yard		DN	151.5		WISHRAM	BC	0.0	W.C.T. Y.O.	11.50 PM						7.00 AM	
Arrive Wednesday Friday Sunday	Arrive Wednesday Friday Sunday	Arrive Daily Ex. Monday		Arrive Daily Ex. Sun.	Arrive Daily Ex. Sun.	Arrive Sunday Only	Arrive Saturday Only										Leave Daily	Leave Daily				Leave Tuesday Thursday Saturday	Leave Tuesday Thursday Saturday	Leave Daily Ex. Sunday
8.55 12.3	.40 15.6	3.30 11.8		2.40 19.4	6.05 24.9	7.05 21.1	3.35 21.2						Time Over District, Average Speed Per Hour,				7.10 21.1	3.45 20.3				9.00 12.8	0.45 13.8	3.00 13.8

SPECIAL RULES

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS

Derail in main line 400 feet east of west passing track switch at Bend is open except when thrown for trains to pass.

SPECIAL RULES

3

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS

- No. 1 Special rules supersede rules and regulations of transportation department.
 No. 2 Trains will date from time due to leave Initial Stations.
 No. 3 When an order is put out to a train at a station directing them to meet an opposing train at that station, and the order contains the clause: "— gets this order at meeting point," the train receiving the order at the meeting point will hold the main track, and the other train must take the siding.

No. 4 REGISTERING STATIONS:

Wishram, North Junction, South Junction, Metolius, Bend.

No. 5 STANDARD CLOCKS AND BULLETIN BOARDS:

Wishram, Metolius, Bend.

No. 6 YARDS:

Wishram: Yard limit board located 2000 ft. east of O.-W. R. & N. connection at Celilo.
 Metolius: West yard limit board 2600 ft. west of west yard switch on O.-W. R. & N.; east yard limit board 5830 ft. east of east yard switch.
 Bend: West yard limit board 1989 ft. west of west passing track switch.

No. 7 DERAIL SWITCHES:

Sherar....200 feet from headblock of switch at west end passing track.
 Maupin...200 feet from headblock of switch at west end industry track.
 Cambrai...200 feet from headblock of switch at west end passing track.
 Metolius...200 feet from headblock of switch at west end drill track.
 Prineville Connection...200 feet east of head block.
 Redmond...200 feet from headblock of switch at each end wareh'se track.
 Bend.....In main line 200 feet east of west passing track switch.
 Bend.....200 feet from head block of switch at west end of passing track.
 Bend.....200 feet from headblock of switch at west end wareh'se track.
 Bend.....1000 feet from headblock of switch of mill spur.
 Bend.....200 feet from headblock of switch of Standard Oil spur.
 Bend.....200 feet from headblock of switch at west end of Stock Yard Siding

No. 8 SPEED RESTRICTIONS

Maximum speed of passenger trains at any point must not exceed 35 miles per hour. Freight trains must not exceed 20 miles per hour between Wishram and South Junction and 25 miles per hour between Metolius and Bend. Work trains handling work equipment only may run not to exceed 25 miles per hour between Wishram and South Junction. Trains will not exceed a speed of twenty miles per hour over Crooked River Bridge, 4.2 miles east of Opal City.

No. 9 REDUCED SPEED ON CURVES

Following is location of curves of 8° or over. All trains must reduce speed on them to 15 miles per hour.

Curve	Location	Speed
11°	Curve 3000 feet east mile post 23.	
10°	" " at mile post 24.1	
8°	" " " " 27.0	
8°	" " " " 30.4	
10°	" " " " 61.9	
12° 30"	" " " " 67.8	
8°	" " " " 77.8	
8°	" " " " 78.0	
8°	" " " " 78.8	

No. 10 Junction switch with O.-W. R. & N. Co. at North Junction will be set and locked for the Oregon Trunk Railway.

No. 11 Junction switch on Celilo Bridge will be set and locked for east leg of "Y." The east and west switches of wye will be set and locked for the wye.

No. 12 All trainmen and others interested are hereby warned that the majority of cattle guards on Oregon Trunk Railway are closer to tracks than the required standard of the Public Service Commission of Oregon.

No. 13 Sign reading "Impaired Clearance" placed on switch stand at entrance of spur or siding indicates that there are platforms or structures located alongside same which do not provide minimum horizontal clearance, prescribed by Public Service Commission of Oregon. Employees will use care and avoid risk of injury while working on spurs or sidings protected with "Impaired Clearance" sign.

No. 14 All eastward trains will come to a full stop between 200 feet and 400 feet from North Junction, and know the way is clear before proceeding.

Draw Bridges

No. 15 Draw bridge located over Celilo Canal, mile post 1.4 East of Wishram.

No. 16

CLEARANCE TABLE

	Height above Top of Rail.										
	1 ft. Wide	2 ft. Wide	3 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide	8 ft. Wide	9 ft. Wide	10 ft. Wide	11 ft. Wide
Oregon Trunk Ry...	21'	21'	21'	21'	21'	21'	21'	20'6"	19'10"	19'5"	18'9"

Conductors must be absolutely positive that loads do not exceed these dimensions, and must not move cars of greater dimensions without instructions from Superintendent.

CAPACITY OF ENGINES IN ADDITION TO WEIGHT OF ENGINES, TENDERS AND CABOSES

	Ruling Grade	CLASS OF ENGINE					
		C 1	D 1	N 1	N 2	N 4	N 6
		600 to 609	100 to 109	350 to 352	355 to 365 N 7 335 to 337	303 & 305 N 5 315	325 & 326 F 1 S 450 to 464
Wishram to South Jct. --	.6	691	1100	883	1200	1003	1164
South Jct. to Metolius --	1.5	505	650	673	732	610	700
Metolius to Bend.....	1 0	660	900	848	1200	805	1114
Bend to Metolius.....	.5	1078	1800	1329	2100	1612	2200
Metolius to Wishram ---	.0	2818	4468	3308	4600	4200	4500

COMPANY'S SURGEONS

Dr. E. B. McDaniel, Chief Surgeon...Portland
 Dr. David E. Baird, Local Surgeon...Redmond
 Dr. R. W. Hendershott, Local Surgeon...Bend
 Dr. W. F. Shorts, Local Surgeon.....Wishram

Surgeons will attend, when called upon officially, to all cases of accident occurring to employees or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Hospital Fund will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Hospital Fund after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at hospitals with which the Company has made arrangements. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

STRETCHERS

ARE LOCATED AT FOLLOWING POINTS:

Wishram.....Station
 Maupin.....Station
 Metolius.....Station
 Bend.....Station

LOCATION AND LENGTH OF TUNNELS

No.	LOCATION	Length
1	1.4 Miles West of Moody.....	782 feet
2	3.4 Miles West of Sherar.....	800 feet
3	0.4 Miles West of Frieda.....	519 feet
4	0.6 Miles East of North Junction.....	584 feet

JUNCTIONS

NAME	Miles from Wishram	Switch at
Spokane, Portland & Seattle Ry...	0.0	
Ore.-Wash. Ry. & Nav. Co.....	1.5	
Ore.-Wash. Ry. & Nav. Co.....	75.4	
Ore.-Wash. Ry. & Nav. Co.....	85.8	
Ore.-Wash. Ry. & Nav. Co.....	110.2	
Prineville City Railway.....	132.3	

WATCH INSPECTORS

A. L. Haman, Chief Time Inspector...St. Paul, Minn.
 M. H. Symons.....Bend, Ore.

L. H. JAMES, Dispatcher
 L. S. NELSON, Dispatcher
 F. X. ADAMS, Dispatcher
 R. E. WHITE, Dispatcher

E. B. ARTHUR, Ass't Chief Dispatcher
 S. A. GAGNON, Ass't Chief Dispatcher
 R. C. SCOFFERN, Chief Dispatcher
 J. E. CHARLAND, Trainmaster

