

OREGON TRUNK RAILWAY

TIME TABLE No. 49

**TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M.
PACIFIC TIME**

TUESDAY, JUNE 11, 1929

**SUPERSEDING TIME TABLE NO. 48 AND ALL SUPPLEMENTS THERETO
THIS TIME TABLE IS FOR THE USE OF EMPLOYEES ONLY**

G. E. VOTAW, Superintendent

E. E. LILLIE, Supt. Car Service

A. J. DAVIDSON, General Manager

WESTWARD

EASTWARD

THIRD CLASS			SECOND CLASS		FIRST CLASS			Car Capacity		Telegraph Stations	Distance from Bend	TIME TABLE No. 49			Distance from Wishram	Water, Oil, Wyes, Turn Tables and Scales	FIRST CLASS			SECOND CLASS		THIRD CLASS			
309	313	311				103	29					IN EFFECT JUNE 11, 1929					102	30					314	310	308
Oregon Trunk Local Freight	O.-W. R. & N. Time Freight	Oregon Trunk Thru Freight				Oregon Trunk Passenger	O.-W. R. & N. Passenger	Passing Tracks	Other Tracks			STATIONS					Oregon Trunk Mixed	O.-W. R. & N. Passenger					O.-W. R. & N. Time Freight	Oregon Trunk Thru Freight	Oregon Trunk Local Freight
Leave Tues., Thur. & Sat.	Leave Daily	Leave Daily Ex. Monday				Leave Daily	Leave Daily										Arrive Daily	Arrive Daily					Arrive Daily	Arrive Daily Ex. Monday	Arrive Mon., Wed. Friday
9.00AM	1.15AM	1.00AM				8.55PM	102 7.25AM	Yard		DN	0.0	BEND	ND	151.5	WYO	29 7.25AM	7.25PM					6.10AM	7.00AM	6.25PM	
9.30	1.43	1.25				9.15	7.40	59			7.4	DESCHUTES		144.1		6.58	7.08					5.45	6.30	5.50	
10.05	2.20	1.55				9.40	7.58	59	70	D	16.5	REDMOND	RD	135.0	W	6.27	6.48					5.15	6.00	5.15	
10.15	2.30	2.05				9.47	8.03		18	D	19.2	PRINEVILLE JUNCTION	XN	132.3		6.12	6.42					5.06	5.50	4.55	
10.25	2.40	2.15				9.55	8.08	59			22.0	TERREBONNE		129.5		6.03	6.35					4.56	5.40	4.45	
10.55	3.08	2.39				10.15	8.23	59	27		29.5	OPAL CITY		122.0	W	5.45	6.17					4.30	5.12	4.15	
11.20	3.33	3.00				10.33	8.36	59	45	D	36.6	CULVER	CU	114.9		5.27	6.02					4.07	4.48	3.47	
11.40AM	3.50AM	3.15AM				10.45PM	8.45AM	Yard		DN	41.3	METOLIUS	MS	110.2	T. W. C.	5.15AM	5.50PM					3.18 3.50AM	4.30AM	3.30 2.45PM	
BETWEEN SOUTH JUNCTION AND METOLIUS TRAINS WILL BE GOVERNED BY O.-W. R. & N. CO. TIME TABLE AND RULES																									
1.35PM	5.55AM	4.50AM				11.52PM	9.40AM				65.7	SOUTH JUNCTION		85.8		3.45AM	4.45PM					2.35AM	2.45AM	12.45PM	
1.42	6.02	4.57				11.57	9.45				67.5	JERSEY		84.0		3.40	4.41					2.29	2.40	12.40	
1.56	6.12	5.08				12.05AM	9.53	59	32		71.2	KASKELA		80.3		3.32	4.34					2.18	2.31	12.27	
2.13	6.25AM	5.23				12.17	10.05AM			DN	76.1	NORTH JUNCTION	JN	75.4		3.21	4.25PM					2.05AM	2.20	12.10	
2.20		5.28				12.22		59			77.9	NATHAN		73.6	W.	3.17							2.15	12.05PM	
2.43		5.47				12.37					84.0	FRIEDA		67.5		3.02							2.00	11.45	
2.56		5.59				12.47		59			87.7	NENA		63.8	W.	2.53							1.50	11.32	
3.27		6.25				1.08		59			96.1	CAMBRAI		55.4		2.35							1.31	11.07	
3.31		6.27				1.10			32	D	96.8	MAUPIN	AU	54.7		2.33							1.29	11.02	
3.43		6.38				1.21			25		100.7	TUSKAN		50.8	W.	2.23							1.21	10.50	
3.55		6.48				1.32		58			103.8	SHERAR		47.7		2.15							1.12	10.40	
4.24		7.12				1.57		58			111.6	OAKBROOK		39.9	W.	1.57							12.50	10.15	
4.58		7.40				2.25		59			120.9	SINAMOX		30.6		1.35							12.22	9.45	
5.13		7.53				2.35		59			125.1	DIKE		26.4	W.	1.25							12.12AM	9.30	
5.45		8.20				3.00			9		133.5	LOCKIT	No Siding	18.0		1.04							11.55	9.02	
6.08		8.40				3.18		61			139.9	KLOAN		11.6		12.43							11.35	8.40	
6.30		9.05				3.35		60			145.8	MOODY		5.7		12.34							11.17	8.15	
6.55		9.25				3.47					150.6	CELILO WYE		0.9		12.23							11.05	7.50	
7.00PM		9.30AM				3.55AM		Yard		DN	151.5	WISHRAM	BC	0.0	W.C.T.Y.O.	12.20AM							11.00PM	7.45AM	
Arrive Tues., Thur. & Sat.	Arrive Daily	Arrive Daily Ex. Monday				Arrive Daily	Arrive Daily					Time Over District. Average Speed Per Hour.					Leave Daily	Leave Daily				Leave Daily	Leave Daily Ex. Sunday	Leave Mon., Wed. Friday	
10.00 15.2	5.10 14.7	8.30 17.8				7.00 21.6	2.40 28.5										7.05 21.4	3.00 25.4				4.05 18.6	8.00 18.9	10.40 14.2	

SPECIAL RULES

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS. Exceptions: No. 103 is superior to No. 102.

Derail in main line 713 feet west of west end depot at Bend is open except when thrown for trains to pass.

Nos. 102 and 103 will stop on flag at Fitz, 120 feet east of M. P. 65.

SPECIAL RULES

3

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS

- No. 1 Special rules supersede rules and regulations of transportation department.
- No. 2 Trains will date from time due to leave Initial Stations.
- No. 3 When an order is put out to a train at a station directing them to meet an opposing train at that station, and the order contains the clause: "—gets this order at meeting point," the train receiving the order at the meeting point will hold the main track, and the other train must take the siding.

No. 4 REGISTERING STATIONS:

Wishram, North Junction, South Junction, Metolius, Bend.

No. 5 STANDARD CLOCKS AND BULLETIN BOARDS:

Wishram, Bend.

No. 6 YARDS:

Wishram: Yard limit board located 2000 ft. east of O.-W. R. & N. connection at Celilo.

Culver: From yard limit boards 1500 ft. distant from passing track switches.

Prineville Jct.: " " " " " " " "

Redmond: " " " " " " " "

Metolius: West yard limit board 2600 ft. west of west yard switch on O.-W. R. & N.; east yard limit board 5830 ft. east of east yard switch.

Bend: West yard limit board 1989 ft. west of west passing track switch.

No. 7 DERAIL SWITCHES:

Sherar... 200 feet from headblock of switch at west end passing track.

Maupin... 200 feet from headblock of switch at west end industry track.

Cambrai... 200 feet from headblock of switch at west end passing track.

Metolius... 200 feet from headblock of switch at west end drill track.

Prineville Connection... 200 feet east of headblock.

Redmond... 200 feet from headblock of switch at each end wareh'se track.

Bend... In main line 200 feet east of west passing track switch.

Bend... 200 feet from headblock of switch at west end of passing track.

Bend... 200 feet from headblock of switch at west end wareh'se track.

Bend... 1000 feet from headblock of switch of mill spur.

Bend... 200 feet from headblock of switch of Standard Oil spur.

Bend... 200 feet from headblock of switch at west end of Stock Yard Siding.

No. 8 SPEED RESTRICTIONS:

Maximum speed of passenger trains at any point must not exceed 35 miles per hour. Freight trains must not exceed 25 miles per hour between Wishram and South Junction and 25 miles per hour between Metolius and Bend, except that stock trains in same districts may make a speed of not to exceed 30 miles per hour. Work trains handling work equipment only may run not to exceed 25 miles per hour between Wishram and South Junction. Trains will not exceed a speed of twenty miles per hour over Crooked River Bridge, 4.2 miles east of Opal City.

No. 9 REDUCED SPEED ON CURVES:

Following is location of curves of 8° or over. All trains must reduce speed on them to 15 miles per hour.

Curve	Location	Speed
11°	Curve 3000 feet east mile post 23.	
10°	" " at mile post 24.1	
8°	" " " " 27.0	
8°	" " " " 30.4	
10°	" " " " 61.9	
12° 30"	" " " " 67.8	
8°	" " " " 77.8	
8°	" " " " 78.0	
8°	" " " " 78.8	

L. H. JAMES, Dispatcher
W. F. KENNEY, Dispatcher
F. X. ADAMS, Dispatcher
R. E. WHITE, Dispatcher

No. 10 Junction switch with O.-W. R. & N. Co. at North Junction will be set and locked for the Oregon Trunk Railway.

No. 11 Junction switch on Celilo Bridge will be set and locked for east leg of "Y." The east and west switches of wye will be set and locked for the wye.

No. 12 All trainmen and others interested are hereby warned that the majority of cattle guards on Oregon Trunk Railway are closer to tracks than the required standard of the Public Service Commission of Oregon.

No. 13 Sign reading "Impaired Clearance" placed on switch stand at entrance of spur or siding indicates that there are platforms or structures located alongside same which do not provided minimum horizontal clearance, prescribed by Public Service Commission of Oregon. Employees will use care and avoid risk of injury while working on spurs or sidings protected with "Impaired Clearance" sign.

No. 14 All eastward trains will come to a full stop between 200 feet and 400 feet from North Junction, and know the way is clear before proceeding.

Draw Bridges

No. 15 Draw bridge located over Celilo Canal, mile post 1.4 East of Wishram.

No. 16 CLEARANCE TABLE

	Height above Top of Rail.										
	1 ft. Wide	2 ft. Wide	3 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide	8 ft. Wide	9 ft. Wide	10 ft. Wide	11 ft. Wide
Oregon Trunk Ry.	21'	21'	21'	21'	21'	21'	21'	20'6"	19'10"	19'5"	18'9"

Conductors must be absolutely positive that loads do not exceed these dimensions, and must not move cars of greater dimensions without instructions from Superintendent.

CAPACITY OF ENGINES IN ADDITION TO WEIGHT OF ENGINES, TENDERS AND CABOSES

	Ruling Grade	CLASS OF ENGINE					
		C 1 600 to 609	D 1 100 to 109	N 1 350 to 352	N 2 355 to 365 N 7 335 to 337	N 4 303 & 305 N 5 315	N 6 325 & 326 F 1 S 450 to 464
Wishram to South Jct..	.6	691	1100	883	1200	1003	1164
South Jct. to Metolius..	1.5	505	650	673	732	610	700
Metolius to Bend.....	1.0	660	900	848	1200	805	1114
Bend to Metolius.....	.5	1078	1800	1329	2100	1612	2200
Metolius to Wishram...	.0	2818	4468	3308	4600	4200	4500

COMPANY'S SURGEONS

Dr. Jas. C. Zan, Chief Surgeon.....Portland
Dr. John C. Adams, Assistant Surgeon, Portland
Dr. R. F. Jones, Local Surgeon.....Redmond
Dr. R. W. Hendershott, Local Surgeon...Bend
Dr. W. F. Shorts, Local Surgeon.....Wishram

Surgeons will attend, when called upon officially, to all cases of accident occurring to employees or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Hospital Fund will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Hospital Fund after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at hospitals with which the Company has made arrangements. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

STRETCHERS

ARE LOCATED AT FOLLOWING POINTS:

Wishram.....Station
Maupin.....Station
Metolius.....Station
Bend.....Station

LOCATION AND LENGTH OF TUNNELS

No.	LOCATION	Length
1	1.4 Miles West of Moody.....	782 feet
2	3.4 Miles West of Sherar.....	800 feet
3	0.4 Miles West of Frieda.....	519 feet
4	0.6 Miles East of North Junction.....	584 feet

JUNCTIONS

NAME	Miles from Wishram	Switch at
Spokane, Portland & Seattle Ry..	0.0	
Ore.-Wash. Ry. & Nav. Co.....	1.5	
Ore.-Wash. Ry. & Nav. Co.....	75.4	
Ore.-Wash. Ry. & Nav. Co.....	85.8	
Ore.-Wash. Ry. & Nav. Co.....	110.2	
Prineville City Railway.....	132.3	

WATCH INSPECTORS

A. L. Haman, Chief Time Inspector...St. Paul, Minn.
M. H. Symons.....Bend, Ore.

E. B. ARTHUR, Ass't Chief Dispatcher
S. A. GAGNON, Ass't Chief Dispatcher
R. C. SCOFFERN, Chief Dispatcher
J. E. CHARLAND, Trainmaster

