OREGON TRUNK RAILWAY

TIME TABLE No. 50

TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M. PACIFIC TIME

SUNDAY, JUNE 1, 1930

SUPERSEDING TIME TABLE NO. 49 AND ALL SUPPLEMENTS THERETO THIS TIME TABLE IS FOR THE USE OF EMPLOYES ONLY

		WE	STWARD			60										EASTWARD		
	THIRD CLASS		SECOND CLASS	FIRST	CLASS	on his d	Car Ca	apacity	Para Inter	TIME TADIEN				FIRST	CLASS	SECOND CLASS	TE	IRD CLASS
	313 31			103	29	27			7.0	TIME TABLE No. 50		Wyes, Turr and Scales	102	30	直接图		314	310
	OW. R. & N. Time Freight	Oregon Trunk Thru Freight		Oregon Trunk Mixed	OW. R. & N. Passenger	OW. R. & N. Passenger		racks	e from	IN EFFECT JUNE 1, 1930	e from	oil, Wye	Oregon Trunk Mixed	OW. R. & N. Passenger			OW. R. & N. Time Freight	Oregon Trunk Thru Freight
		Leave Daily Ex. Monday		Leave Daily	Leave Daily Ex. Sunday	a un a	Sidings	Other Th	Distance from Bend	STATIONS	Distance from Wishram	Water, Oil, Tables a	Arrive Daily	Arrive Daily			Arrive Daily	Arrive Daily Ex.Monday
+	1.154	1.00AM		8.55PM	1 102	6.25M	Yard	TO COMPANY	0.0	DN	151.5	WYO	s 7.45AM	s 7.25PM	-		6.10A	7.05AM
-	1.43	1.23		1 9.15	7.45AM 9 8.00	s 6.40	54		7.4	PDESCHUTES	144.1			s 7.08			5.45	6.40
-	2.20	1.51		s 9.40	3 8.18	102 s 6.58	54	70	16.5	D REDMOND RD		w	s 6.58	s 6.48			5.15	6.05
1	2.30	1.58		s 9.47	8 8.23	s 7.05		18	19.2	DPRINEVILLE JUNCTIONXN	132.3	-	s 6.51	8 6.42			5.06	5.55
-	2.40	2.07	4890 00	s 9.55	8 8 28	s 7.14	54	18	22.0	PTERREBONNE	129.5	- 1	f 6.43	s 6.35			4.56	5.40
-	3.08	2.30	11 18	f10.15	f 8 43	1 7.37	54	27	29.5	POPAL CITY	122.0	w	f 6.22	f 6.17	K FM	100	4.30	5.12
	3.33	2.51	61 W 61	*10·33	8 8.56	s 7 55	54	45	36.6	DCULVERCU	114.9		s 6.03	6.02	3 33	- 80	4.07	4.48
	314 3.50M	3;05AM	11 度 度	s10.45PM	9.05M	s 8.15M	Yard		41.3	DN METOLIUS MS -24.4	110.2	T. W. C.	s 5.50AM	s 5 50PM		403k	313 3.50M	4.30AM
			BETWEEN	SOUTH JU	NCTION	N AND	METOL	IUS TR	RAINS	WILL BE GOVERNED BY O.	-W. R.	& N. C	O. TIM	E TABL	E AND R	ULES		
1	5.55M	4 30AM		s11.52PM	10.00AM	s 9.20M			65.7	PSOUTH JUNCTION	85.8		s 4 30M	s 4.45PM			2.35AM	2.45M
	6.02	4.36		f11.57	f10.05	1 9.25			67.5	1.8 JERSEY	84.0		1 4.25	1 4.41			2.29	2.39
	6.12	4.49		f12.05M	f10-13	1 9.33	54	32	71.2	PKASKELA	80.3		f 4.16	1 4.34			2.18	2.28
	6.254	5.05		s12 19	s10.25AM	s 9.45M			76.1	DNNORTH JUNCTIONJN	75.4		s 4.06	4.25PM			2.05AM	2.15
		5.11		112.25			54		77.9	PNATHAN	73.6	w.	f 4.01					2.10
		5.31		112.44					84.0	6.1 FRIEDA	67.5		1 3.47					1.53
		5.44		f12.55	Mr.A.	300	54	(A Or	87.7	3.7	63.8	W.	1 3.38					1.43
		6.11		1.20			54		96.1	CAMBRAI	55.4		3.18					1.20
		6.14		s 1.23				32	96.8	DMAUPINAU	54.7		s 3.16					1.17
		6.28		f 1.31				25	100.7	TUSKAN	50.8	W.	f 3.07					1.09
		6.39		f 1.39			54		103.8	P. SHERAR 7.8	47.7		f 2.59					1.01
		7.05		f 1 56			54	100000000000000000000000000000000000000	111.6	POAKBROOK	39.9	w.	1 2.42					12.48
		7.36		f 2.20			54		120.9	SINAMOX 4.2	30.6		f 2.20					12.22
		7.50		f 2.31			54		125.1	P. DIKE	26.4	W.	1 2.05					12.12M
		8.22		f 2.58			55		133.5	LOCKIT 6.4	18.0		1 1.40					11.55
		8.48		f 3.17	all the	924	56	Gir	139.9	P	11.6	MODEL	1 1.19	2 121 4	670			11.35
		9.10		f 3.35			55		145.8	PMOODY	5.7	8 13	1 1.01					11.17
		9.25		3.47	Carlo		20 12	10	150.6	CELILO WYE	0.9	The second	12.48	Charles &	badh			11.05
-		9.304		s 3.55A			Yard		151.5	DN WISHRAM BC	0.0	W.C.T.Y.O.	12.45M				-	11-OOPM
-	Arrive Daily	Arrive Daily Ex. Monday		Arrive Daily	Arrive Daily Ex. Sunday	Arrive Sun. Only		415000					Leave Daily	Leave Daily			Leave Daily	Leave Daily Ex.Sunday
-	5.10 14.7	8.30 17.8		7.00 21.6	2.40 28.5	3.20 22.8				Time Over District, Average Speed Per Hour,			7.00 21.6	3.00 25.4			4.05 18.6	8.05 18.7

YIMO STYOLAM SPECIAL RULES SUBAT SMIT SINT

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS. Exceptions: No. 103 is superior to No. 102.

Derail in main line 713 feet west of west end depot at Bend is open except when thrown for trains to pass-

Nos. 102 and 103 will stop on flag at Fitz, 120 feet east of M. P. 65.

EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF THE SAME CLASS

- No. 1 Special rules supersede rules and regulations of transportation depart-
- No. 2 Trains will date from time due to leave Initial Stations.
- No. 3 When an order is put out to a train at a station directing them to meet an opposing train at that station, and the order contains the clause: -gets this order at meeting point," the train receiving the order at the meeting point will hold the main track, and the other train must take the siding.

No. 4 REGISTERING STATIONS:

Wishram, North Junction, South Junction, Metolius, Bend.

STANDARD CLOCKS AND BULLETIN BOARDS: No. 5

Wishram, Bend.

No. 6

YARDS:

Wishram: Yard limit board located 2000 ft. east of O.-W. R. & N. connection at Celilo.

Culver: From yard limit boards 1500 ft. distant from passing track switches. Prineville Jct .: " Redmond:

Metolius: West yard limit board 2600 ft. west of west yard switch on O.-W. R. & N.; east yard limit board 5830 ft. east of east yard switch. Bend: West yard limit board 1989 ft. west of west passing track switch.

No. 7 DERAIL SWITCHES:

Sherar....200 feet from headblock of switch at west end passing track. Maupin....200 feet from headblock of switch at west end industry track. Cambrai....200 feet from headblock of switch at west end passing track.

Metolius...200 feet from headblock of switch at west end drill track.

Prineville Connection....200 feet east of headblock.

Redmond...200 feet from headblock of switch at each end wareh'se track. Bend..... In main line 200 feet east of west passing track switch.

Bend.....200 feet from headblock of switch at west end of passing track.

Bend.....200 feet from headblock of switch at west end wareh'se track. Bend....1000 feet from headblock of switch of mill spur.

Bend.....200 feet from headblock of switch of Standard Oil spur. Bend.....200 feet from headblock of switch at west end of Stock Yard

Siding.

No. 8 SPEED RESTRICTIONS:

Maximum speed of passenger trains at any point must not exceed 35 miles per hour. Freight trains must not exceed 25 miles per hour between Wishram and South Junction and 25 miles per hour between Metolius and Bend, except that stock trains in same districts may make a speed of not to exceed 30 miles per hour. Work trains handling work equipment only may run not to exceed 25 miles per hour between Wishram and South Junction. Trains will not exceed a speed of twenty miles per hour over Crooked River Bridge, 4.2 miles east of Opal City.

REDUCED SPEED ON CURVES: No. 9

Following is location of curves of 8° or over. All trains must reduce speed on them to 15 miles per hour.

Curve 3000 feet east mile post 23.

10°		"	at	mile	post	24.1
8°		"	u	**	" "	27.0
8°		"	"	ш	u	30.4
10°		"	u	"	ec	61.9
12°	30"	"	"	"	"	67.8
8°		u	"	u	"	77.8
8°		"	"	u	"	78.0
8°		"	"	"	"	78.8

- No. 10 Junction switch with O.-W. R. & N. Co. at North Junction will be set and locked for the Oregon Trunk Railway.
- No. 11 Junction switch on Celilo Bridge will be set and locked for east leg of "Y." The east and west switches of wye will be set and locked for the
- No. 12 All trainmen and others interested are hereby warned that the majority of cattle guards on Oregon Trunk Railway are closer to tracks than the required standard of the Public Service Commission of Oregon.
- No. 13 Sign reading "Impaired Clearance" placed on switch stand at entrance of spur or siding indicates that there are platforms or structures located alongside same which do not provided minimum horizontal clearance, prescribed by Public Service Commission of Oregon. Employes will use care and avoid risk of injury while working on spurs or sidings protected with "Impaired Clearance" sign.
- No. 14 All eastward trains will come to a full stop between 200 feet and 400 feet from North Junction, and know the way is clear before proceeding.

Draw Bridges

No. 15 Draw bridge located over Celilo Canal, mile post 1.4 East of Wishram.

No. 16

CLEARANCE TABLE

		Height above Top of Rail.													
	1 ft. Wide	2 ft. Wide	3 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide	8 ft. Wide	9 ft. Wide	10 ft. Wide	11 ft. Wide				
Oregon Trunk Ry.	21'	21'	21'	21'	21'	21'	21'	20'6"	19'10"	19'5"	18'9"				

Conductors must be absolutely positive that loads do not exceed these dimensions, and must not move cars of greater dimensions without instructions from Superintendent.

CAPACITY OF ENGINES IN ADDITION TO WEIGHT OF ENGINES, TENDERS AND CABOOSES

		CLASS OF ENGINE													
	Ruling Grade	C 1 600 to 609	D 1 100 to 109	N 1 350 to 352	N 2 355 to 365 N 7 335 to 337	N 5	N 6 325 & 326 F 1 S 450 to 464								
Wishram to South Jet. South Jet. to Metolius . Metolius to Bend Bend to Metolius Metolius to Wishram	.6 1.5 1.0 .5	691 505 660 1078 2818	1100 650 900 1800 4468	883 673 848 1329 3308	1200 732 1200 2100 4600	1003 610 805 1612 4200	1164 700 1114 2200 4500								

COMPANY'S SURGEONS

Dr. Jas. C. Zan, Chief Surgeon Portland Dr. John C. Adams, Assistant Surgeon, Portland Dr. R. F. Jones, Local Surgeon............ Redmond Dr. R. W. Hendershott, Local Surgeon...Bend Dr. W. F. Shorts, Local Surgeon Wishram

Surgeons will attend, when called upon officially, to all cases of accident occurring to employes or passen-gers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Hospital Fund will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from cian. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Hospital Fund after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at hospitals with which the Company has made arrangements. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

STRETCHERS ARE LOCATED AT FOLLOWING POINTS:

Wishram	 														Station
Maupin.															
Metolius.		,													
Rond															Station

LOCATION AND LENGTH OF TUNNELS

No.	LOCATION	Length		
1	1.4 Miles West of Moody	782 feet		
2	3.4 Miles West of Sherar	800 feet		
3	0.4 Miles West of Frieda 0.6 Miles East of North Junction	519 feet		
4	0.6 Miles East of North Junction	584 feet		

JUNCTIONS

NAME	Miles from Wishram	Switch at
Spokane, Portland & Seattle Ry. OreWash. Ry. & Nav. Co. Prineville City Railway.	0.0 1.5 75.4 85.8 110.2 132.3	

WATCH INSPECTORS

A. L. Haman, Ch	ief Time	Inspector St.	Paul, Minn.
M. H. Symons			.Bend, Ore.

- L. H. JAMES, Dispatcher W. F. KENNEY, Dispatcher F. L. WEBER, Dispatcher
- R. E. WHITE, Dispatcher

- E. B. ARTHUR, Ass't Chief Dispatcher F. S. BARLOW, Ass't Chief Dispatcher R. C. SCOFFERN, Chief Dispatcher J. E. CHARLAND, Trainmaster

