SPOKANE, PORTLAND & SEATTLE R'Y CO.

PORTLAND DIVISION

TIME TABLE No. 117

TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M. PACIFIC TIME

WEDNESDAY, MAY 25, 1932

SUPERSEDING TIME TABLE NO.116 AND ALL SUPPLEMENTS THERETO
THIS TIME TABLE IS FOR THE USE OF EMPLOYES ONLY

G. E. VOTAW, Superintendent

B. L. SPERRY, Supt. Car Service

A. J. DAVIDSON, General Manager

Ferguson 2/

FOUR!	TH CL	SS	3rd CLASS	S	ECOND (CLASS	FIRST	CLASS		ar	.	MINER MADIE No. 117	"	len	FIRST CLASS	SECOND CLASS	3rd CLASS	FOU	TRTH CLAS
	1	293	61	10			23	21	Cap	Car acity	Distance from Portland	TIME TABLE No. 117	Distance from Seaside	Water, Wyes, Turn Tables, Fuel	22 24		62	294	
		Local Freight	Mixed	990				Passenger		Other	ortic	MAY 25, 1932	Seas	Tabl	Passenger Passenger		Mixed	Local Freight	
		Leave Tues.	Leave Daily Ex. Sunday					Leave Daily	Sidings	Other Tracks	Di	STATIONS	Ď	Na a	ArriveDaily ArriveDaily		ArriveDaily Ex. Sunday	Arrive Tues.	
			6.15M	_		1		8.004	Yard		0.0	DN PORTLANDOW	118.0				s 1.25M		
_		8.30		DET	WEEN F	ODTI				TDAIN	_					TABLE AND DILLE		12.45	
				BEI	WEEN F	ORTLA	ND AND	WILLB	RIDGE	RAIN	NS WIL	L BE GOVERNED BY		NALS L	DIVISION TIME	TABLE AND RULE	3		
		8.50	6.35				6.45	8.14	Yard		4.5	DNWILLBRIDGEBA	113.5	177.4	11.16 7.26		1.05	12.25	
		9.05	s 6.45				6.52	s 8.20	32	120	7.3	DINNTONIN	110.7		s11.10 7.19		•12.55	12.10AM	
		9.15	s 6.55M		7/8/1	1	6.58	8.25			10.0	UNITED JUNCTION	108.0		11.05 7.12		12.45PM	11.59	
		9.25					7.05	f 8.30	30	7	12.6	HOLBROOK	105.4	3 M1. W.	f11.01 7.05			11.50	
		9.50					f 7.16	8.43	36	24	- 19.9	DSCAPPOOSESQ	98.1		s10.48 f 6.55			11.25	
		10.07					7.23	f 8.50	29	5	24.3	4. 4 WARREN	93.7		f10.41 6.48			11.10	
		10.18					7.29	8.55	53		27.1	CORMICK	90.9		10.37 6.43			10.55	
		10.20	1000	BEL.			s 7.30	s 8.57		12	27.6	D	90.4	w	s10.36 s 6.42			10.50	
		10.35	16				7.37	9.05	48	5	31.3	WATERVIEW	86.7		10.29 6.35			10.35	
		10.45					7.40	1 9.09		10	33.2	DEER ISLAND	84.8		110.26 1 6.32			10.25	
		11.03					7.47	f 9.16	25		37.2	CHARLTON	80.8		f10.20 6.26			10.10	
		11.15	2				f 7.51	9.20	25	79 -	39.4	GOBLE 5.9	78.6		\$10.16 f 6.22			10.01	
		11.43					100	ATION	15		45.3	REEDS	72.7	1.9 M1. E.			AM	9.40	
		11.45					8.02	s 9.34		11	45.8	D	72.2		\$10.05 \$ 6.12			9.35	
		11.50					8.04	9.36	55		46.8	AVON	71.2		10.03 6.10			9.30	
		12.23					8.17	9.50	16		53.5	PYRAMID	64.5		9.50 5.58			9.08	
		12.35					f 8.21	9.55	55	14	55.8	MAYGER	62.2		8 9.43 f 5.54			8.59	
		12.54					f 8.28	s10.04	31	12	59.3	QUINCY	58.7	W	9.35 f 5.48			8.45	
		1.10					s 8.34	*10.10	49	75	62.2	D CLATSKANIE CN	55.8		s 9.28 s 5.42) A []		8.34	
		1.30					f 8.43	f10.19	55	10	66.6	4.4 MARSHLAND	51.4		f 9.17 f 5.33			8.15	
		1.48		-0				∗10 ⋅25		20	69.8	KERRY	48.2		f 9.10 f 5.27			8.00	
		1.55		40			f 8.52	s10·29	30	50	71.2		46.8		8 9.07 f 5.23			7.50	
		2.08					s 8.58	s10.34		54	73.5	WAUNA	44.5		s 9.02 s 5.18			7.40	
		2.33						110.45	45	-	78.4	CLIFTON	39.6	w	f 8.51 f 5.08			7.20	
	-	3.15					_	11.04	24	5	86.5	KNAPPA	31.5		8 8.32 f 4.50			6.45	
		3.35		15				s11.12	42	3	90.2	3.7 	27.8		8 8.23 f 4.42			6.30	
		4.00	1.67	300	10			11.23	35	7. 6	95.4	JOHN DAY	22.6	ME PER	f 8.12 f 4.32	I AND DESCRIPTION OF THE PERSON OF THE PERSO	9 88	6.05	
		4.25		126	1 00		10.00		Yard		99.7	DFD		WTOC	8.00 4.20 7.55 4.15			5.45	
		4.50		ATR	100	T BANK	f10.20			51	105.6	DWARRENTONWA		Y	s 7.35 s 3.55			5.10	
		4.59					_	f12.06PM	35	33	108.3	CAMP CLATSOP	9.7		f 7.28 f 3.48			4.30	
		5.11					f10.33		21		112.0	WEST	6.0		f 7.19 f 3.39			4.18	
		5.16			-		_	12.18	14		113.7	McGUIRE	4.3		7.15 3.34			4.13	
		5.23			4		f10.42		13		115.7	DGEA RHARTGR			t 7.11 t 3.31			4.08	
		5.30AM		1			810.50PM	*12.30PM	19	64	118.0	DSEASIDESD	0.0	WY	7.05M 3.25M			4.00PM	
		Arr. Wed. Fri. & Mon.	ArriveDaily Ex. Sunday				ArriveDaily	ArriveDaily							Leave Daily Leave Daily		Leave Daily Ex. Sunday	Leave Mon. Wed. & Fri.	
		9.00 13.1	0.40 15.0			1 3913	4.20 27.2	4.30 26.2		- NUMB	THA	Time Over District. Average Speed Per Hour.	DR ET		4.25 4.15 26.7 27.8		0.21 20.9	8.45 13.5	

SPECIAL RULES—EASTWARD TRAINS ARE SUPERIOR TO WESTWARD TRAINS OF SAME CLASS
No. 23 will operate as a mixed train Mondays, Wednesdays and Fridays

	SECOND CLASS	FIRST CLASS	Capacity of Tracks	Distances from Warrenton	TIME TABLE No. 117 MAY 25, 1932 STATIONS	Distances from Fort Stevens	Water, Wyes, Turn Tables and Scales	FIRST CLASS	SECOND C	LASS	to (all) all to total i man a
	The same and the	Pia-	51	0.0	DWARRENTONWA	3.8	Y			The same of	The Land of the Control of the Contr
	ALL STREET	Per contract of the contract o	26	1.8	FLAVEL	2.0	441			A MANUAL PARTY	Wheel frames with the
7	BA CONTRACTOR			2.9	HAMMOND	0.9					
			Yard	3.8	DFORT STEVENS FS	0.0	Y				
	Total Carles					en liter ()					300
					Time Over District Average Speed Per Hour			into			or free partners continued

No. 16.

SPECIAL RULES—Eastward Trains are superior to Westward Trains of the same class.

SPECIAL RULES

No. 1. Special Rules supersede rules and regulations of Transportation Department.

No. 2. REGISTERING STATIONS.

Portland, Astoria, Seaside. United Junction for United Ry.'s trains only. Trains taking down signals at Willbridge be governed by Rule 96.

No. 3. STANDARD CLOCKS AND BULLETIN BOARDS.

Portland, Portland Roundhouse-(General Foreman's Office), Astoria and Seaside.

No. 4. SPEED RESTRICTIONS.

Maximum speed for passenger trains at any point must not exceed 45 miles per hour, and freight trains must not exceed 30 miles per hour.

Through Town of Linnton, 20 miles per hour.

Through City of Goble, 10 miles per hour.

Through City of Rainier, 8 miles per hour.

Between Tongue Point and west end of Young's Bay, 22 miles per hour.

On Pacific Ave., Hammond, 8 miles per hour.

Trains must not exceed time table schedule between Warrenton and Astoria.

Over bridge 110-7 first curve west of Carnahan, 15 miles per hour.

Locomotives backing up will not exceed twenty (20) miles per hour.

Passing telegraph offices where orders are to be received, fifteen (15) miles per hour.

No. 5. GENERAL.

When an order is put out to a train at a station, directing it to meet an opposing train at that station and the order contains the clause ".....gets this order at meeting point" the train receiving the order at the meeting point will hold the main track and the other train must take the siding.

- No. 6. Rule 83-a will not apply at initial stations which are not telegraph stations, nor at telegraph stations except during office hours, or when an operator is on duty after office hours.
- No. 7. All trainmen and others interested are hereby warned that the majority of cattle guards on Portland Division are closer to tracks than required standard of the Public Service Commission of Oregon.
- No. 8. Sign reading "Impaired Clearance" placed upon switch stand at entrance of spur or siding indicates there are platforms or structures located alongside same which do not provide minimum horizontal clearance prescribed by Public Service Commission of Oregon. Employes will use care and avoid risk of injury while working on spurs or sidings protected with "Impaired Clearance" signs.
- No. 9. Derail Switches are located on all Passing Tracks and Spurs where there is danger of cars running out. Derails must be left at derail at all times, except when in use.
- No. 10. Normal position of switch, United Junction, will be for S. P. & S. main track.

- No. 11. Draw Bridges are located: Clatskanie River, 0.5 miles West of Clatskanie; Blind Slough; John Day River, 0.6 miles east of John Day; Young's Bay, 2.8 miles west of Astoria; Skipanon Creek, 0.1 miles East of Warrenton.
- No. 12. No. 21 will stop on signal Saturdays only at bridge tender's house at John Day draw bridge.
- No. 13. No. 22 will stop on signal at Assembly to pick up passengers for Portland.
- No. 14. No. 23 will stop on flag at Linnton to pick up passengers for scheduled stops; at Assembly, Columbia City and Deer Island to discharge passengers from Portland; on signal at Fern Hill, John Day and Tongue Point to discharge passengers from Rainier and east, and at Skipanon, Allendale, Wahannah and Surf to discharge passengers only.
- No. 15. No. 24 will stop on signal at John Day bridge tender's house on Saturdays only; at Columbia City to pick up passengers for Portland, and at points east of Rainier to let off passengers from Rainier and points west.

CLEARANCE TABLE.

		Height above Top of Rail.										
	1' Wide	2' Wide	Wide	4' Wide	5' Wide	6' Wide	7' Wide	8' Wide	9' Wide	10' Wide	10'6" Wide	Wide
Portland Division.	18'6"	18'0"	17'6"	17'0"	17'0"	16'6"	16'6"	16'0"	15'6"	15'0"	14'6"	14'0"

Conductors must be absolutely positive that loads do not exceed these dimensions and must not move cars of greater dimensions without instructions from Superintendent.

GRADE CROSSINGS

NAME	Miles from Portland
P. & S. W. Ry. (Interlocking Plant)	20.3 62.4

OVERHEAD CROSSINGS

NAME	Miles from Portland
Brix Logging Co	13.3 69.7
Bradley Woodard Lbr. Co	76.8

JUNCTIONS

NAME	Miles from Portland	Switch at
Vancouver Division.	4.5	
United Railways Co	10.0 13.4	West end
Portland & Southwestern Ry	20.1 27.0	East end West end
Benson Timber Co	62.3 69.8	East end West end
Bradley Woodard Lbr. Co	76.9	West end
Big Creek Logging Co	86.8	West end

LOCATION AND LENGTH OF TUNNELS

No.	LOCATION	Length
3	1.2 miles east of Mayger	188 feet

YARDS

Linnton yard limits extend from yard sign six hundred feet west of West Oregon Lumber Co. switch to yard sign one mile east of Linnton

United Junction yard limits extend from yard sign 2000 feet east of

junction switch to yard sign 2000 feet west of junction switch.

Rainier yard limits extend from yard sign five hundred feet east of east switch Reeds to yard sign five hundred feet west of west passing track switch Avon.

Oasis yard limits extend from yard sign 2500 feet east of water tank to yard sign 500 feet west of water tank.

Clifton yard limits extend from yard sign 2500 feet east of east switch

Astoria yard limits extend from yard sign at Tongue Point to yard sign on S. P. & S. main track 500 feet west of Astoria Belt Line switch.

Warrenton yard limits extend from yard sign 2500 feet east of east wye switch to yard sign 2600 feet west of west wye switch on First Sub-Division and to yard sign 2500 feet west of west wye switch on Second

Ft. Stevens yard limits extend from yard sign 500 feet east of entrance to Government Reservation to end of tracks.

Seaside yard limits extend from yard sign 500 feet east of East switch at Seaside to yard sign 900 feet west of wye switch Holladay.

L. H. JAMES, Dispatcher F. S. BARLOW, Dispatcher L. S. NELSON, Dispatcher

E. B. ARTHUR, Asst. Chief Disp. E. M. HERRING, Asst. Chief Disp. R. C. SCOFFERN, Chief Disp. E. B. HEATH, Trainmaster

COMPANY SURGEONS

DR. CHAS. C. NEWCASTLE, Chief Surgeon,
DR. WILMOT C. FOSTER, Asst. Surgeon,
318 Mayer Bldg., Portland.
Telephone Beacon 5070; if no answer call Beacon 3181. DRS. DICKSON, DAVIS, BROWNING & BEATTIE, Oculists, Mayer Bldg., Port. DR. HARRY S. IRVINE, Local Surgeon, 915 Weatherly Bldg., Portland. DR. C. E. BROUS, Local Surgeon, Linnton, Oregon. DR. C. E. WADE, Local Surgeon, St. Helens, Ore. DR. W. W. BALL, Local Surgeon, Clatskanie, Ore. Dr. J. L. Wooden, Local Surgeon, Clatskanie, Oregon Dr. V. S. GEARY, Local Surgeon, Westport. Dr. J. A. Fulton, Local Surgeon, Astoria. Dr. O. C. HAGMEIER, Assistant Local Surgeon, Astoria. DR. ARTHUR VAN DUSEN, Assistant Local Surgeon, Astoria. Dr. O. C. HAGMEIER, Local Surgeon, Seaside. Dr. J. E. Vinson, Local Surgeon, Seaside

Surgeons will attend when called upon officially, to all cases of accident occurring to employes or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Hospital Fund will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Hospital Fund after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at hospitals with which the Company has made arrangements. We are not responsible for bills incurred elsewhere, unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

STRETCHERS

are located at the following points:	
Portland	Baggage Room
Rainier	Station
Astoria	

WATCH INSPECTORS

A. L. Haman, Chief Time Inspector, St. Paul, Minn.
W. H. Saxton, 245 Washington StreetPORTLAND
DILLEN ROGERS, Killingsworth and Albina AvePORTLAND
E. M. Young
SHULTZ & JACOBSENASTORIA

CAPACITY OF ENGINES IN ADDITION TO WEIGHT OF ENGINES, TENDERS AND CABOOSES

		Class of Engine								
DISTRICT	Ruling Grade	D-2 150- 151	D-3 152 157 158	D-4 153 154 155	D-6 159	L-1 L-5 D-5 50 55 156	-	N-3 N-1-SH 370 350 351 352		
Portland to Goble	.56 .52 .31 .38 .33 .44 1.22		1507 1650 1590 1650 1575 800	1444 1590 1525 1590 1512 766	1564 1690 1620 1690 1600	900 1143 1100 1143	712 860 810 860 810 378	2000 2000 2100 2050 2100 2050 994 1180	1650 1780 1720 1780 1625 935	

BUSINESS TRACKS AND PASSENGER FLAG STOPS NOT SHOWN AS STATIONS ON TIME TABLE

First Sub-Division

NAME	Miles	Car		TI G. 4 T.
NAME	from Portland	Capa- city	Switch	Flag Stops for Trains
Portland, G & C Spur	5.6	33	West end	Not Passenger Stop.
Jacobson Const'n Co	5.8	8	East end	Not Passenger Stop.
Sunset Pac. Oil Co. Spurs	6.6	19	East end	
General Petroleum Spurs		32	East end	Not Passenger Stop.
Richfield Oil Co	6.8	10	East end	Not Passenger Stop.
Gunderson Spur	6.9	7	West end	Not Passenger Stop.
Geo. H. Gage, Inc. Spur	7.0	5	West end	Not Passenger Stop.
West Oregon L. Co	8.3	15	West end	Not Passenger Stop.
Harbor Track	9.8	61	East end	Not Passenger Stop.
Rafton	13.4		West and	Not Passanger Ston
Brix Union Oil Co. Spur	28.4	7	West end West end	Not Passenger Stop. Not Passenger Stop.
Standard Oil Co. Spur	28.4	8	West end	Not Passenger Stop.
Texas Oil Co. Spur	28.5	5	West end	Not Passenger Stop.
Assembly	29.4	31	West end	21-24.
Columbia City	30.0	01	West end	21-22.
Murphy	32.6	4	East end	Not Passenger Stop.
Tide Creek	35.8		Zaor ond	Not Passenger Stop.
Nehalem Junction	38.0	4	West end	21-22.
Shell Oil Co	38.9	2	East end	Not Passenger Stop.
Trojan	40.7	27	East end	Not Passenger Stop.
Prescott	42.2	17	East end	21-22-23-24.
Jacobson Reid Lumber Co.	44.8	10	East end	Not Passenger Stop.
Dubois & Kittering Spur	47.0	7	West end	Not Passenger Stop.
West Rainier	47.2			21-22-23-24.
Hickox Spur	47.3	14	East end	Not Passenger Stop.
Fluhrer's Spur	55.4	4	East end	Not Passenger Stop.
Lacoda	58.0			21-22-23-24.
Palm	63.6	6	East end	
Woodson	68.5			21-24.
Bradwood	76.8	15	Both ends	21-22-23-24.
Brownsmead	81.7 83.3	2	East end	21-24. 21-22-23-24.
Blind Slough	84.9	-	East end	21-22-24.
Ivy	88.5			21-22-24.
Fernhill	94.0	100	1000	21-22-24.
Tongue Point	96.9			21-22-24.
11th St., Astoria	100.3			21-22-23-24.
Sunnymead	104.0	270	1	21
Meriwether	104.2		1 1 1 1 1 1 1	21-22.
Skipanon	107.0	Page 1	The state of the state of	21-22.
Huston	109.7	- Van line		21-22-24.
Carnahan	110.3	2	West end	21-22-23-24.
Allendale	111.4	3	West end	
Dellmoor	113.1	4	West end	
Neawanna	116.7	6	East end	
Surf	117.4			21-22-24.

Second Sub-Division

Warrenton Clay Spur	106.3	West end
Point Adams Spur	108.3	East end
Street St		